


We have modified our product catalog to include specific product ID#'s. This will allow you to go online and get accurate, up-to-date prices for all our products.

For The Latest Updated Pricing Information from PSS...

1. Log on to the PSS website at www.productsignsupplies.com
2. Click **On-Line Store Now Open!**
3. Enter your **Web-Order ID#** and **password**, then click send.
(NOTE: To obtain your logon information, please call Product Sign Supplies Customer Service department and ask for your Web Order Entry logon information.)
4. Enter the product ID# in the search window and click GO. **(NOTE: Be sure to enter the • dot first, followed by the number.)**
5. Add the item to your Shopping Cart, a Product Group you create or enter another item. This will then show you the pricing for that item.



4/24/2006

625 Emory Street, San Jose, CA 95110
4601 Pell Drive, Sacramento, CA 95838

PRODUCT SIGN SUPPLIES




408/294-5823
916/921-3333

800/540-9199
800/660-0553

FAX: 408/297-3325
FAX: 916/921-0136

Product Sign Supplies

Product Catalog



Find Us At Our Two Convenient Locations

San Jose Hours
Phone Hours From 6am to 5pm
Store Hours From 8am to 4:30pm
Phone 800-540-9199
Fax 408-297-3325

Sacramento Hours
Phone Hours From 8am to 5pm
Store Hours From 8am to 5:00pm
Phone 800-540-0553
Fax 916-921-0136

PSS DIGITAL CATALOG INDEX

- A -

ARLON DIGITAL PRODUCTS (Solvent-Based)

SOLVET-PRINTABLE VINYL

PREMIUM VINYL

DPF6000 2mil Cast Gloss Perm Adhesive 7yr_____8
 DPF6020 2mil Cast Gloss Perm Adhesive 7yr_____8
 DPF6500 2mil Cast Translucent-Wht Perm Adh 7yr_8

ENGINEERED VINYL

DPF2000 3.8mil Calen Clean-Rem Adhesive 3yr___11
 DPF4000 3.8mil Calen Perm Adhesive 4yr_____11
 DPF5000 3.8mil Calen Med-Tac Repro Adhes 7yr___11
 DPF8000 3.8mil Calen Very High-Tac Adhes 7yr___12
 DPF9000 3.8mil Calen Med-Tac Repos Adhes 7yr_12

INTERMEDIATE VINYL

DPF4500G 3mil Calen Gloss Perm Clear Adh 3yr___9
 DPF4560GT 3mil Calen Gloss Perm Op Adh 3yr___9

ECONOMY VINYL

DPF600 3mil Calen Matte Perm Clear Adhesive 1yr10

SPECIALTY VINYL

One-Way Vision Window Film_____12

BANNER

10 & 12mil Smooth Scrim Banner Matte White___13

OVERLAMINATE

PREMIUM OVERLAMINATE

3220 Cast 2mil Gloss 5yr_____14
 3230 Cast 2mil Matte 5yr_____14

ECONOMY OVERLAMINATE

3420 Calendered 3mil Satin 1yr_____14

SPECIALTY OVERLAMINATE

Anti-Graffiti 1mil Tedlar Semi-Gloss_____14

AVERY DIGITAL

IPM – INKJET PRINT MEDIA (Water-Based)

PREMIUM VINYL

IPM 2000EZ Calendered Matte Vinyl_____15
 IPM 2500 Calendered Matte Vinyl Permanent Adh_15
 IPM 2501 Calendered Matte Vinyl Removable Adh_15

INTERMEDIATE VINYL

IPM 2001 Calendered Gloss Vinyl Permanent Adh_16

ECONOMY VINYL

IPM 3500 Calendered Matte Vinyl Perm Adhesive_16

BANNER

IPM Banner Polyolefin_____17
 IPM Banner Scrim Vinyl_____17

SPECIALTY

IPM Backlit/Frontlit Translucent Film_____18
 IPM Premium White Display Film_____18

MPI – MULTI-PURPOSE INKJET MEDIA (Solvent-Based)

PREMIUM VINYL

MPI 1005 Cast Gloss White Vinyl Perm Adhes 5yr_19
 MPI 1005EZ Cast Gloss White Vinyl EZ Adhes 5yr_19
 MPI 1007EZ Cast Satin White Vinyl EZ Adhes 2yr_20
 MPI 1010 Cast Gloss White Vinyl (Suitex)_____20
 MPI 1020 Cast Clear Vinyl Perm Adhesive_____20

INTERMEDIATE VINYL

MPI 2003EZ Calendered Lo-Gloss EZ Adh 2yr_____21
 MPI 2010 Calendered Matte Perm Adhesive 5yr_____21
 MPI 2012 Calendered Matte Rem Adhesive 5yr_____21
 MPI 2021 Calendered Clear Ult-Rem Adhesive 1yr_22

ECONOMY VINYL

MPI 3000 Calen 3.4mil Vinyl Perm Adhesive 2yr___22
 MPI 3001 Calen 3.4mil Vinyl Rem Adhesive 1yr___22
 MPI 3002 Calen 3.4mil Billboard Vinyl Perm 2yr___23
 MPI 3003 Calen Cover-up Vinyl Perm Adhes 1yr___23
 MPI 3100 Calen 3.4mil Vinyl Rem 1yr_____23
 MPI 3401 Calen Semi-Translucent Vinyl Rem 1yr_24
 MPI 3402 Calen Opaque Vinyl Rem 1yr_____24
 MPI 4201 Bus-Wrap Calendered Vinyl Rem 1yr___24
 MPI Transit Calendered Vinyl Rem 1yr_____25

SPECIALTY VILYL

MPI Premium Reflective Vinyl Perm 7yr_____25
 MPI 4002 Perforated-Window Film Perm 1yr_____25

DOL – DIGITAL OVERLAMINATE

PREMIUM OVERLAMINATE

DOL 1000 Cast Gloss 5yr_____26
 DOL 1100 Cast Matte 5yr_____26
 DOL 4500 Polyester for Perf Window Film 1yr___26

INTERMEDIATE OVERLAMINATE

DOL 2000 Calendered 3mil Satin 3yr_____26

BANNER

Heavy Duty Banner_____27
 Jupiter Banner 10oz_____28
 Jupiter Banner 13oz_____28
 Jupiter Banner 15oz Block-Out_____29
 Saturn Banner 12oz Block-Out_____27

- B -

BANNER ACCESSORIES

Grommet Tools & Grommets_____57
 Misc Banner Accessories_____58

BOARDS-FOAM

Fome-Cor_____59
 Gator Products_____59

- C -

CLEAR COATINGS (Liquid Laminates)

ClearStar – ClearShield_____55-56
 ClearStar – Clearjet_____56
 Super Frog_____56

- G -

GMI DIGITAL MEDIA

Banner – 13oz Scrim Gloss White_____52
 Clear-Ad – Clear Window Film Rem Adhesive_____52
 Static Cling_____52
 Magnetic Sheeting – Solvent-Printable_____52

- I -

INK

HEWLETT-PACKARD OEM

Dye Ink_____5
 UV-Pigment Ink_____6

MIMAKI OEM DIGITAL-PRINTING INK

Solvent-Based Ink_____7

ROLAND OEM DIGITAL-PRINTING INK

Solvent-Based Ink_____7

PSS DIGITAL CATALOG INDEX

-M-

MAGNETIC SHEETING

| | |
|---|----|
| DigiMag – Magnetic Sheeting Solvent-Printable | 53 |
| GMI – Magnetic Sheeting Solvent-Printable | 52 |

- O -

ORACAL DIGITAL

ORAJET SOLVENT-BASED INKJET VINYL MEDIA

PREMIUM VINYL

| | |
|--|----|
| 3551 Premium 2.75mil Calen Repos Adh 6yr | 31 |
| 3751 Premium 2mil Calen Repos Adh 8yr | 30 |
| 3850 Premium 3mil Calen Transl White 7yr | 31 |
| 3951 Premium 2mil Cast Repos Adh 10yr | 30 |

INTERMEDIATE VINYL

| | |
|--|----|
| 3165 Intermediate 3.75mil Perm Adh 5yr | 33 |
| 3651 Intermediate 2.5mil Perm Adh 5yr | 32 |
| 3691 Intermediate 3mil Rem Adh 5yr | 32 |

ECONOMY VINYL

| | |
|--|----|
| 3164 Calendered 3.75mil Perm Adh 4yr | 33 |
| 3621 Calendered 3mil Removable Adh 4yr | 34 |
| 3640 Calendered 3mil Permanent Adh 4yr | 34 |

SPECIALTY VINYL

| | |
|---|----|
| 1663 Floor-Graphics 4.25mil Rem Adh 3yr | 35 |
| 3631 Perforated Window Film Rem Adh 5yr | 35 |

ORAGUARD OVERLAMINATE

PREMIUM LAMINATE

| | |
|--|----|
| 290 Cast 2mil Film G/M/SG 8yr | 36 |
| 290F Cast 2mil Optically Clear G/M 8yr | 36 |
| 240 Anti-Graffiti 1mil Gloss 7yr | 37 |
| 215 Calendered 2.75mil Film G/M/SG | 37 |

INTERMEDIATE LAMINATE

| | |
|-----------------------------------|----|
| 210 Calendered 2.5mil G/M/SG 4yr | 38 |
| 220HG Polyester 1.5mil High-Gloss | 38 |

ECONOMY LAMINATE

| | |
|----------------------------------|----|
| 200 Calendered 2.5mil G/M/SG 2yr | 39 |
| 205 Calendered 2.5mil G/M 2yr | 39 |

SPECIALTY LAMINATE

| | |
|--|----|
| 250AS Textured 4.5 & 6.5mil Floor Graphics | 40 |
|--|----|

-P-

PSS PRINT SYSTEM MEDIA

AQUEOUS (Water-Base Ink)

BANNER

| | |
|----------------------------------|----|
| Scrim 14mil Economy Matte | 47 |
| Scrim 15mil Smooth Matte & Gloss | 46 |
| Scrim 17mil Smooth Matte 2-Sided | 47 |
| Valeron 11mil Matte | 48 |
| Polyethylene 11mil Blockout | 48 |

CANVAS

| | |
|--|----|
| PolyCotton 19mil Blend Matte Water-Resistant | 50 |
| Cotton 100% 22mil Matte Water-Resistant | 50 |

PHOTO PAPER

| | |
|---|----|
| Premium 7mil Photo Paper Satin & Gloss Dye | 43 |
| Universal 8mil Photo Paper Satin & Gloss Dye&UV | 43 |

POLYPROPYLENE FILMS

| | |
|--|----|
| 8mil Polypropylene (BOPP) Matte | 49 |
| 8mil Polypropylene (BOPP) Matte Adh-Backed | 49 |

VINYL – Adhesive Backed

| | |
|---|----|
| 4mil Vinyl Matte & Gloss Permanent Adhesive | 44 |
| 4mil Vinyl Matte & Gloss Removable Adhesive | 45 |

SOLVENT (Solvent-Based Ink)

BANNER

| | |
|--------------------------------------|----|
| Scrim Banner 13oz PVC Semi-Gloss | 42 |
| Scrim Banner 15oz PVC Matte Blockout | 42 |
| Valeron Banner 11mil Gloss | 41 |

CANVAS

| | |
|--------------------------------------|----|
| 19mil Opaque Gloss PolyCotton Canvas | 41 |
|--------------------------------------|----|

PHOTO PAPER

| | |
|-----------------------------------|----|
| 7mil Production Gloss Photo Paper | 41 |
|-----------------------------------|----|

POLYPROPYLENE FILMS

| | |
|---|----|
| 8mil Gloss Polypropylene BOPP Film | 41 |
| 8mil Gloss Polypropylene BOPP Film Perm Adhes | 41 |

Specialty Materials

| | |
|---|----|
| ColorPrint™ Sol Heat-Transfer, Textile Decoration | 54 |
|---|----|

-U-

ULTRAFLEX

BANNER Solvent Printable

| | |
|-----------------------------|----|
| 13oz Jetflex Gloss & Matte | 51 |
| 13oz Normandy Matte 98" | 51 |
| 15oz Blockout Matte 2-Sided | 51 |
| Strip-Mesh | 51 |

4/24/2006

PRODUCT SIGN SUPPLIES

625 Emory Street, San Jose, CA 95110
4601 Pell Drive, Sacramento, CA 95838

408/294-5823
916/921-3333

800/540-9199
800/660-0553

FAX: 408/297-3325
FAX: 916/921-0136

INKS AQUEOUS (WATER-BASE)

HEWLETT-PACKARD OEM DYE INK

HP Dye Ink for DesignJet 5000/5500

| Description | Size | Vendor Part # | PSS ID # |
|--|--------|---------------|----------|
| HP Ink 81 Dye Black 1-Cartridge | 680 ml | C4930A | .37472 |
| HP Ink 81 Dye Black 3-Cartridge Pack | 680 ml | C5066A | .37478 |
| HP Ink 81 Dye Black Value Pack | 680 ml | C4990A | .37484 |
| HP Ink 81 Dye Cyan 1-Cartridge | 680 ml | C4931A | .37473 |
| HP Ink 81 Dye Cyan 3-Cartridge Pack | 680 ml | C5067A | .37479 |
| HP Ink 81 Dye Cyan Value Pack | 680 ml | C4991A | .37485 |
| HP Ink 81 Dye Magenta 1-Cartridge | 680 ml | C4935A | .37447 |
| HP Ink 81 Dye Magenta 3-Cartridge Pack | 680 ml | C5066A | .37478 |
| HP Ink 81 Dye Magenta Value Pack | 680 ml | C4992A | .37486 |
| HP Ink 81 Dye Yellow 1-Cartridge | 680 ml | C4933A | .37475 |
| HP Ink 81 Dye Yellow 3-Cartridge Pack | 680 ml | C5069A | .37481 |
| HP Ink 81 Dye Yellow Value Pack | 680 ml | C4993A | .37487 |
| HP Ink 81 Dye Light Cyan 1-Cartridge | 680 ml | C4934A | .37476 |
| HP Ink 81 Dye Light Cyan 3-Cartridge Pack | 680 ml | C5070A | .37482 |
| HP Ink 81 Dye Light Cyan Value Pack | 680 ml | C4994A | .37488 |
| HP Ink 81 Dye Light Magenta 1-Cartridge | 680 ml | C4935A | .37477 |
| HP Ink 81 Dye Light Magenta 3-Cartridge Pack | 680 ml | C5066A | .37478 |
| HP Ink 81 Dye Light Magenta Value Pack | 680 ml | C4995A | .37489 |

NOTE: Value Pack contains: Ink cartridge, print head and cleaner.

4/24/2006

PRODUCT SIGN SUPPLIES

625 Emory Street, San Jose, CA 95110
4601 Pell Drive, Sacramento, CA 95838

408/294-5823
916/921-3333

800/540-9199
800/660-0553

FAX: 408/297-3325
FAX: 916/921-0136

**INKS AQUEOUS (WATER-BASE)
(Continued)**

HEWLETT-PACKARD OEM UV-PIGMENTED INK

HP UV-Pigmented Ink for DesignJet 5000/5500 Printers

| Description | Size | Vendor Part # | PSS ID # |
|---|--------|---------------|---------------|
| HP Ink 83 UV-Pigmented Black 1-Cartridge | 680 ml | C4940A | .37490 |
| HP Ink 83 UV-Pigmented Black 3-Cartridge Pack | 680 ml | C5072A | .37496 |
| HP Ink 83 UV-Pigmented Black Value Pack | 680 ml | C5000A | .37502 |
| HP Ink 83 UV-Pigmented Cyan 1-Cartridge | 680 ml | C4941A | .37491 |
| HP Ink 83 UV-Pigmented Cyan 3-Cartridge Pack | 680 ml | C5073A | .37497 |
| HP Ink 83 UV-Pigmented Cyan Value Pack | 680 ml | C5001A | .37503 |
| HP Ink 83 UV-Pigmented Magenta 1-Cartridge | 680 ml | C4942A | .37492 |
| HP Ink 83 UV-Pigmented Magenta 3-Cartridge Pack | 680 ml | C5074A | .37498 |
| HP Ink 83 UV-Pigmented Magenta Value Pack | 680 ml | C5002A | .37504 |
| HP Ink 83 UV-Pigmented Yellow 1-Cartridge | 680 ml | C4943A | .37493 |
| HP Ink 83 UV-Pigmented Yellow 3-Cartridge Pack | 680 ml | C5075A | .37499 |
| HP Ink 83 UV-Pigmented Yellow Value Pack | 680 ml | C5003A | .37505 |
| HP Ink 83 UV-Pigmented Light Cyan 1-Cartridge | 680 ml | C4944A | .37494 |
| HP Ink 83 UV-Pigmented Light Cyan 3-Cartridge Pack | 680 ml | C5076A | .37500 |
| HP Ink 83 UV-Pigmented Light Cyan Value Pack | 680 ml | C5004A | .37506 |
| HP Ink 83 UV-Pigmented Light Magenta 1-Cartridge | 680 ml | C4945A | .37495 |
| HP Ink 83 UV-Pigmented Light Magenta 3-Cartridge Pack | 680 ml | C5077A | .37501 |
| HP Ink 83 UV-Pigmented Light Magenta Value Pack | 680 ml | C5005A | .37507 |

NOTE: Value Pack contains: Ink cartridge, print head and cleaner.

4/24/2006

PRODUCT SIGN SUPPLIES

625 Emory Street, San Jose, CA 95110
4601 Pell Drive, Sacramento, CA 95838

408/294-5823
916/921-3333

800/540-9199
800/660-0553

FAX: 408/297-3325
FAX: 916/921-0136

INKS SOLVENT-BASE

MIMAKI OEM DIGITAL-PRINTING INK

Mimaki Ink for JV3 Printer

| Description | Size | Vendor Part # | PSS ID # |
|------------------------------------|-------|---------------|----------|
| Mimaki Ink Cartridge Black | 220ml | SPC-0335B | .37455 |
| Mimaki Ink Cartridge Cyan | 220ml | SPC-0380C | .37456 |
| Mimaki Ink Cartridge Magenta | 220ml | SPC-0380M | .37457 |
| Mimaki Ink Cartridge Yellow | 220ml | SPC-0380Y | .37458 |
| Mimaki Ink Cartridge Light Cyan | 220ml | SPC-0380LC | .37459 |
| Mimaki Ink Cartridge Light Magenta | 220ml | SPC-0380LM | .37460 |
| Mimaki Ink Cartridge Cleaner | 220ml | SPC-3005 | .37461 |

ROLAND OEM DIGITAL-PRINTING INK

Roland Eco-Max Ink For VersaCAMM and SOLJET Models

| Description | Size | Vendor Part # | PSS ID # |
|--|-------|---------------|----------|
| Roland Eco-Max Ink Cartridge Black | 220cc | ESL-3BK | .37462 |
| Roland Eco-Max Ink Cartridge Cyan | 220cc | ESL-3CY | .37463 |
| Roland Eco-Max Ink Cartridge Magenta | 220cc | ESL-3MG | .37464 |
| Roland Eco-Max Ink Cartridge Yellow | 220cc | ESL-3YE | .37465 |
| Roland Eco-Max Ink Cartridge Light Cyan | 220cc | ESL-3LC | .37466 |
| Roland Eco-Max Ink Cartridge Light Magenta | 220cc | ESL-3LM | .37467 |
| Roland Cleaning Kit 3-Cartridge Kit | 220cc | Cleaning Kit | .37468 |

ARLON DIGITAL

DPF – DIGITAL PRINT FILM– Solvent- Based PREMIUM VINYLs

DPF 6000 2mil Gloss White Vinyl with Permanent Repositionable Adhesive

DPF 6000 is a 2-mil cast, high-gloss vinyl with a repositionable-gray, clean-removing, permanent, adhesive system. This 2-mil film features a face stock with superior conformability and an adhesive that facilitates easy installation. **DURABILITY:** DPF 6000 is rated for unprinted outdoor durability of 7 years. Printed durability depends on the printer and inks used. **APPLICATIONS:** Superior conformability. Fleet or vehicle wraps. Decals and equipment markings. Decals. Transit graphics. Flat, corrugated, riveted or seamed surfaces.

| Description | Size | Vendor Part # | PSS ID # |
|---|-----------|---------------|----------|
| DPF 6000 2mil Gloss-White Vinyl Repositionable Gray Adhesive | 30"x50yd | 4680-3015-002 | .37284 |
| DPF 6000 2mil Gloss-White Vinyl Repositionable Gray Adhesive | 48"x50yd | 4680-4815-002 | .37285 |
| DPF 6000 2mil Gloss-White Vinyl Repositionable Gray Adhesive | 54"x20yd | 4680-5406-002 | .37469 |
| DPF 6000 2mil Gloss-White Vinyl Repositionable Gray Adhesive | 54"x50yd | 4680-5415-002 | .37287 |
| DPF 6000 2mil Gloss-White Vinyl Repositionable Gray Adhesive | 54"x50ydR | 4780-5415-002 | .37290 |
| DPF 6000 2mil Gloss-White Vinyl Repositionable Gray Adhesive | 60"x50yd | 4680-6015-002 | .37289 |
| DPF 6000 2mil Gloss-Clear Vinyl Permanent Clear Adhesive | 54"x50yd | 4680-5415-000 | .37286 |
| DPF 6000 2mil Gloss-Clear Vinyl Permanent Clear Adhesive | 60"x50yd | 4680-6015-000 | .37289 |

DPF 6020 2mil White & Clear Vinyl with Permanent Repositionable Adhesive

DPF 6020 is a 2-mil cast, high-gloss vinyl with a repositionable-gray, clean-removing, permanent, adhesive system. The adhesive features easy installation and excellent opacity due to repositionable gray adhesive system. **DURABILITY:** DPF 6000 is rated for unprinted outdoor durability of 7 years. DPF 6020 printed with an Encad VinylJet™ and OEM inks has a durability of 3 years without lamination. **APPLICATIONS:** DPF 6020 was designed specifically for the Encad VinylJet™ and works with other direct-print systems. DPF 6020 provides the conformability needed for vehicle applications when processed and applied according to manufacturer recommendations.

| Description | Size | Vendor Part # | PSS ID # |
|--|----------|---------------|----------|
| DPF 6020 2mil Gloss-White Vinyl Permanent/Repos Gray Adhesive | 36"x50yd | 4681-3615-002 | .37291 |
| DPF 6020 2mil Gloss-Clear Vinyl Permanent Clear Adhesive | 36"x50yd | 4681-3615-000 | .37292 |

DPF 6500 2mil White Translucent Vinyl with Permanent Adhesive

DPF 6500 is a 2-mil cast, semi-gloss white translucent vinyl with a clear, permanent, adhesive. **DURABILITY:** DPF 6500 is rated for up to 7 years unprinted outdoor durability without lamination. **APPLICATIONS:** Internally illuminated signage, displays and where light transmission is important.

| Description | Size | Vendor Part # | PSS ID # |
|--|----------|---------------|----------|
| DPF 6500 2mil Translucent-White Vinyl Permanent Adhesive | 30"x50yd | 4065-3015-002 | .37293 |
| DPF 6500 2mil Translucent-White Vinyl Permanent Adhesive | 54"x20yd | 4065-3006-002 | .37470 |
| DPF 6500 2mil Translucent-White Vinyl Permanent Adhesive | 54"x50yd | 4065-5415-002 | .37294 |
| DPF 6500 2mil Translucent-White Vinyl Permanent Adhesive | 60"x50yd | 4065-6015-002 | .37295 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

ARLON DIGITAL

(Continued)

DPF – DIGITAL PRINT FILM– Solvent- Based (Continued)

INTERMEDIATE VINYL

DPF 4500G 3mil Gloss White Vinyl with Clear Permanent Adhesive

DPF 4500G is a 3-mil gloss white calendered film with clear, permanent, pressure-sensitive adhesive. Designed for indoor and outdoor short-term and promotional graphics, DPF4500G is made of 100% polymeric face stock with a lay-flat, clay-coated liner. The glossy face stock is designed for applications requiring High Gloss or more image "pop." DPF 4500G offers outstanding print quality when used with solvent, direct-print systems, including Encad® VinylJet™. **DURABILITY:** DPF 4500G is rated for (unprinted) outdoor durability up to 3 years. **APPLICATIONS:** Promotional and merchandizing graphics, fleet or vehicle decals and markings, displays and kiosk graphics, transit graphics. This film is designed for Indoor and outdoor intermediate, promotional graphic and signage applications requiring a glossy finish for more image "POP". Performs well over flat or slightly curved surfaces when processed and applied according to manufacturer recommendations.

| Description | Size | Vendor Part # | PSS ID # |
|---|----------|---------------|----------|
| DPF 4500G 3mil Gloss White Vinyl Permanent Clear Adhesive | 30"x50yd | 4045-3015-102 | .37271 |
| DPF 4500G 3mil Gloss White Vinyl Permanent Clear Adhesive | 36"x50yd | 4045-3615-102 | .37272 |
| DPF 4500G 3mil Gloss White Vinyl Permanent Clear Adhesive | 48"x50yd | 4045-4815-102 | .37273 |
| DPF 4500G 3mil Gloss White Vinyl Permanent Clear Adhesive | 54"x50yd | 4045-5415-102 | .37274 |
| DPF 4500G 3mil Gloss White Vinyl Permanent Clear Adhesive | 60"x50yd | 4045-6015-102 | .37275 |

DPF 4560GT 3mil Gloss White Vinyl with Gray-Opaque Permanent Adhesive

DPF 4560GT is a 3-mil gloss white calendered film with tinted, opaque, permanent, pressure-sensitive adhesive. Designed for indoor and outdoor short-term and promotional graphics, DPF4560GT is made of 100% polymeric face stock with a lay-flat, clay-coated liner. The glossy face stock is designed for applications requiring High Gloss or more image "pop." The special tinted adhesive system is designed for opacity to directly cover existing graphics or dark substrates. DPF 4560GT offers outstanding print quality when used with solvent, direct-print systems, including Encad® VinylJet™. **DURABILITY:** DPF 4560GT is rated for (unprinted) outdoor durability up to 3 years. **APPLICATIONS:** Promotional and merchandizing graphics, fleet or vehicle decals and markings, displays and kiosk graphics, transit graphics. This film is designed for Indoor and outdoor intermediate, promotional graphic and signage applications requiring a glossy finish for more image "POP" and where more opacity is required. Performs well over flat or slightly curved surfaces when processed and applied according to manufacturer recommendations.

| Description | Size | Vendor Part # | PSS ID # |
|---|----------|---------------|----------|
| DPF 4560GT 3mil Gloss White Vinyl Permanent Opaque Adhesive | 30"x50yd | 4046-3015-102 | .37276 |
| DPF 4560GT 3mil Gloss White Vinyl Permanent Opaque Adhesive | 48"x50yd | 4046-4815-102 | .37277 |
| DPF 4560GT 3mil Gloss White Vinyl Permanent Opaque Adhesive | 54"x50yd | 4046-5415-102 | .37278 |
| DPF 4560GT 3mil Gloss White Vinyl Permanent Opaque Adhesive | 60"x50yd | 4046-6015-102 | .37279 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

4/24/2006

PRODUCT SIGN SUPPLIES

625 Emory Street, San Jose, CA 95110
4601 Pell Drive, Sacramento, CA 95838

408/294-5823
916/921-3333

800/540-9199
800/660-0553

FAX: 408/297-3325
FAX: 916/921-0136

ARLON DIGITAL
(Continued)

DPF – DIGITAL PRINT FILM– Solvent- Based (Continued)
ECONOMY PROMOTIONAL VINYLs

DPF 600 3mil Matte White Vinyl with Clear Semi-Permanent Adhesive

DPF 600 is a 3-mil matte-white, calendered film with clear, emulsion, pressure-sensitive, semi-permanent adhesive. Designed for short-term indoor and outdoor promotional graphics, DPF 600 is made of 100% monomeric face stock with a lay-flat, clay-coated liner. DPF600 offers outstanding print quality when used with solvent, direct-print systems. **DURABILITY:** DPF600 offers excellent printability on a wide range of solvent, direct-print systems. DPF 600 is rated for outdoor durability up to 1 year (unprinted). Printed durability is dependent on the ink system used. **APPLICATIONS:** Promotional and merchandizing graphics. Shorter-term signage, kiosks, POP displays, real estate signage. Performs well over flat or slightly curved surfaces when processed and applied according to manufacturer recommendations.

| Description | Size | Vendor Part # | PSS ID # |
|---|-----------|---------------|---------------|
| DPF 600 3mil Matte White Vinyl Permanent Clear Adhesive | 30"x50yd | 4060-3015-002 | .37328 |
| DPF 600 3mil Matte White Vinyl Permanent Clear Adhesive | 54"x50yd | 4060-5415-002 | .37329 |
| DPF 600 3mil Matte White Vinyl Permanent Clear Adhesive | 54"x100yd | 4060-5430-002 | .37331 |
| DPF 600 3mil Matte White Vinyl Permanent Clear Adhesive | 60"x50yd | 4060-6015-002 | .37330 |
| DPF 600 3mil Matte White Vinyl Permanent Clear Adhesive | 60"x100yd | 4060-6030-002 | .37332 |

ALWAYS TEST BEFORE PRODUCTION!
Refer to the manufacture’s Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

ARLON DIGITAL

(Continued)

DPF – DIGITAL PRINT FILM– Solvent- Based (Continued)

ENGINEERED VINYL

DPF 2000 3.8mil Gloss White Vinyl with Clean Removable Adhesive

DPF 2000 is a 3.8-mil satin-white, engineered, high-tensile, polyvinyl chloride film with low-tack, clean-removing pressure-sensitive adhesive. This digital film is designed for solvent-based printers and is recommended for indoor and outdoor temporary graphics. DPF 2000 is made of 100% polymeric face stock with a special lay-flat liner. The special adhesive system allows the applied vinyl to be cleanly removed from most surfaces without any special tools for up to 2 years. **DURABILITY:** DPF2000 is rated for outdoor durability up to 7 years (unprinted). Printed durability is dependent on the ink system used. **APPLICATIONS:** Meets the requirements of removability and durability for temporary advertisement display graphics, markings on motor and railway coaches, point-of-purchase displays, billboards, and markings for leased fleets and vehicles. This film conforms well to flat surfaces with slight contours when processed and applied according to Arlon recommendations.

| Description | Size | Vendor Part # | PSS ID # |
|--|----------|---------------|----------|
| DPF 2000 3.8mil Gloss White Vinyl Removable Adhesive | 30"x50yd | 4022-3015-002 | .37263 |
| DPF 2000 3.8mil Gloss White Vinyl Removable Adhesive | 49"x50yd | 4022-4915-002 | .37264 |
| DPF 2000 3.8mil Gloss White Vinyl Removable Adhesive | 54"x50yd | 4022-5415-002 | .37265 |
| DPF 2000 3.8mil Gloss White Vinyl Removable Adhesive | 60"x50yd | 4022-6015-002 | .37266 |

DPF 4000 3.8mil Gloss White Vinyl with Intermediate Permanent Adhesive

DPF 4000 is a 3.8-mil satin-white, engineered, high-tensile, polyvinyl chloride film with medium-tack, permanent pressure-sensitive adhesive. This digital film is designed for solvent-based printers and is recommended for indoor and outdoor graphics. DPF 4000 is made of 100% polymeric face stock with a special lay-flat liner. **DURABILITY:** DPF 4000 is rated for outdoor durability up to 7 years (unprinted). Printed durability is dependent on the ink system used. **APPLICATIONS:** DPF 4000 is designed to meet the marking requirements and specifications of the transportation, vending, and automotive industries, including: Fleet and container markings, railway cars, buses, boat and recreational vehicle decorations, point-of-purchase displays, vending machines and architectural graphics. This film conforms well to flat surfaces with slight contours when processed and applied according to Arlon recommendations.

| Description | Size | Vendor Part # | PSS ID # |
|--|----------|---------------|----------|
| DPF 4000 3.8mil Gloss White Vinyl Medium-Tack Adhesive | 30"x50yd | 4072-3015-002 | .37267 |
| DPF 4000 3.8mil Gloss White Vinyl Medium-Tack Adhesive | 49"x50yd | 4072-4915-002 | .37268 |
| DPF 4000 3.8mil Gloss White Vinyl Medium-Tack Adhesive | 54"x50yd | 4072-5415-002 | .37269 |
| DPF 4000 3.8mil Gloss White Vinyl Medium-Tack Adhesive | 60"x50yd | 4072-6015-002 | .37270 |

DPF 5000 3.8mil Gloss White Vinyl with Initial Low-Tack Permanent Adhesive

DPF 5000 is a 3.8-mil satin-white, engineered, high-tensile, polyvinyl chloride film with repositionable, permanent pressure-sensitive adhesive. This digital film is designed for solvent-based printers and is recommended for indoor and outdoor graphics applications requiring Initial low-tack, repositionable adhesive. DPF 5000 is made of 100% polymeric face stock with a special lay-flat liner. **DURABILITY:** DPF5000 is rated for outdoor durability up to 7 years (unprinted). Printed durability is dependent on the ink system used. **APPLICATIONS:** DPF 5000 is designed to meet the marking requirements and specifications of the transportation, vending, and automotive industries. The film conforms well to flat surfaces with slight contours when processed and applied according to Arlon recommendations.

| Description | Size | Vendor Part # | PSS ID # |
|---|----------|---------------|----------|
| DPF 5000 3.8mil Gloss White Vinyl Repositionable Adhesive | 30"x50yd | 4052-3015-002 | .37280 |
| DPF 5000 3.8mil Gloss White Vinyl Repositionable Adhesive | 49"x50yd | 4052-4915-002 | .37281 |
| DPF 5000 3.8mil Gloss White Vinyl Repositionable Adhesive | 54"x50yd | 4052-5415-002 | .37282 |
| DPF 5000 3.8mil Gloss White Vinyl Repositionable Adhesive | 60"x50yd | 4052-6015-002 | .37283 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

ARLON DIGITAL

(Continued)

DPF – DIGITAL PRINT FILM– Solvent- Based (Continued)

ENGINEERED VINYL (Continued)

DPF 8000 3.8mil Satin White Vinyl with Aggressive High-Tack Adhesive

DPF 8000 is a 3.8-mil satin-white, high-tensile, polyvinyl chloride film with aggressive, high-tack, permanent, pressure-sensitive adhesive. Designed for indoor and outdoor graphics. DPF 8000 is made of 100% polymeric face stock with a special lay-flat liner. This digital film is designed for solvent-based printers and is recommended for applications require the special adhesive system designed to stick to "hard-to-stick" surfaces and low energy surfaces. DPF 8000 is designed to meet the marking requirements and specifications of the transportation, vending, and automotive industries. The film conforms well to flat surfaces with slight contours when processed and applied according to Arlon recommendations. **DURABILITY:** DPF 8000 is rated for outdoor durability up to 7 years (unprinted). Printed durability is dependent on the ink system used. **APPLICATIONS:** Hard-to-stick plastic surfaces such as polyolefin, polypropylene, polyurethane, etc. Application in cold temperature environments. Highly textured and/or low-energy surfaces.

| Description | Size | Vendor Part # | PSS ID # |
|---|----------|---------------|----------|
| DPF 8000 3.8mil Gloss White Vinyl Aggressive High-Tack Adhesive | 30"x50yd | 4087-3015-002 | .37296 |
| DPF 8000 3.8mil Gloss White Vinyl Aggressive High-Tack Adhesive | 49"x50yd | 4087-4915-002 | .37297 |
| DPF 8000 3.8mil Gloss White Vinyl Aggressive High-Tack Adhesive | 54"x50yd | 4087-5415-002 | .37298 |
| DPF 8000 3.8mil Gloss White Vinyl Aggressive High-Tack Adhesive | 60"x50yd | 4087-6015-002 | .37299 |

DPF 9000 3.8mil Satin White Vinyl with Initial Medium-Tack Permanent Adhesive

DPF 9000 is a 3.8-mil, satin-white, engineered, high-tensile, polyvinyl chloride film with an initial-medium-tack, permanent adhesive. This digital film is designed for solvent-based printers and is recommended for applications where the graphic is exposed to high heat, solvents or petrochemical-based products, such as gas pump skirts and vehicle wraps. Its lay-flat, polycoated liner makes printing with the solvent based inks and wet applications even easier. **DURABILITY:** This film features superior scratch and abrasion resistance and good dimensional stability with a durability rating of 7 years (unprinted). Printed durability is dependent on the ink system used. **APPLICATIONS:** Fleet markings; railway car, bus, boat and recreational vehicle decoration; and motorcycle markings requiring bake cycle curing. DPF9000 films conform to flat, riveted, seamed and some corrugated surfaces when processed and applied according to manufacturer recommendations.

| Description | Size | Vendor Part # | PSS ID # |
|---|----------|---------------|----------|
| DPF 9000 3.8mil Gloss White Vinyl Repositionable Adhesive | 30"x50yd | 4099-3015-002 | .37300 |
| DPF 9000 3.8mil Gloss White Vinyl Repositionable Adhesive | 49"x50yd | 4099-4915-002 | .37301 |
| DPF 9000 3.8mil Gloss White Vinyl Repositionable Adhesive | 54"x50yd | 4099-5415-002 | .37302 |
| DPF 9000 3.8mil Gloss White Vinyl Repositionable Adhesive | 60"x50yd | 4099-6015-002 | .37303 |

ONE-WAY VISION WINDOW FILM

Perforated Window Film Gloss-White Vinyl with Permanent Adhesive

Perforated Window Film allows one-way viewing. **DURABILITY:** Window film is rated for unprinted outdoor durability up to years. **APPLICATIONS:** This digital film is designed for window graphics with one-way views. Use on buildings, vehicles, storefront windows and glass doors. It is available in standard and large-hole configurations.

| Description | Size | Vendor Part # | PSS ID # |
|--|-----------|----------------|----------|
| Window Film Standard Hole #40WF36 | 36"x100ft | 040WF-3610-002 | .37319 |
| Window Film Standard Hole #40WF54 | 54"x100ft | 040WF-5410-002 | .37320 |
| Window Film Large Hole #41WF54 | 54"x100ft | 041WF-5410-002 | .37321 |

ALWAYS TEST BEFORE PRODUCTION!
Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

4/24/2006

PRODUCT SIGN SUPPLIES

625 Emory Street, San Jose, CA 95110
4601 Pell Drive, Sacramento, CA 95838

408/294-5823
916/921-3333

800/540-9199
800/660-0553

FAX: 408/297-3325
FAX: 916/921-0136

ARLON DIGITAL
(Continued)

DPF – DIGITAL PRINT FILM– Solvent- Based (Continued)
BANNER

DPF 301 10-mil Digital-Print PVC Smooth Scrim Banner Print Either Side

DPF 301 is a 10-mil matte white, smooth, scrimmed PVC banner. This smooth, calendered vinyl provides superior print resolution and image quality on either side of the banner with 95% opacity. **Durability:** DPF 301 is rated for outdoor durability up to 1 year (unprinted). Printed durability is dependent on the ink system used. **Printability:** Standard solvent and eco-solvent digital inks with a wide variety of direct print systems. **Flame Resistant:** California State Fire Marshall Code TD117 Section E **Applications:** Merchandising and display graphics and shorter-term banner applications

| Description | Size | Vendor Part # | PSS ID # |
|--|---------|---------------|---------------|
| DPF 301 PVC 12mil Scrim Banner Smooth Blockout Matte White | 30"x75' | 4001-3007-002 | .37420 |
| DPF 301 PVC 12mil Scrim Banner Smooth Blockout Matte White | 54"x75' | 4001-5407-002 | .37422 |
| DPF 301 PVC 12mil Scrim Banner Smooth Blockout Matte White | 60"x75' | 4001-6007-002 | .37423 |

DPF 302 12-mil Digital-Print PVC Smooth Scrim Blockout Banner Print Both Sides

DPF 302 is a 12-mil matte white, smooth, scrimmed PVC banner with blockout features. This smooth, calendered vinyl provides superior print resolution and image quality on both sides of the banner with 100% opacity. **Durability:** DPF 302 is rated for outdoor durability up to 1 year (unprinted). Printed durability is dependent on the ink system used. **Printability:** Standard solvent and eco-solvent digital inks with a wide variety of direct print systems. **Flame Resistant:** California State Fire Marshall Code TD117 Section E **Applications:** Merchandising and display graphics and shorter-term banner applications

| Description | Size | Vendor Part # | PSS ID # |
|--|---------|---------------|---------------|
| DPF 302 PVC 12mil Scrim Banner Smooth Blockout Matte White | 30"x75' | 4002-3007-002 | .37421 |
| DPF 302 PVC 12mil Scrim Banner Smooth Blockout Matte White | 54"x75' | 4002-5407-002 | .37424 |
| DPF 302 PVC 12mil Scrim Banner Smooth Blockout Matte White | 60"x75' | 4002-6007-002 | .37425 |

ALWAYS TEST BEFORE PRODUCTION!
Refer to the manufacture’s Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

ARLON DIGITAL

(Continued)

OVERLAMINATE FILM

PREMIUM OVERLAMINATE

3220 2mil Gloss Overlaminates Pressure-Sensitive Adhesive

3220 Gloss Overlaminates is a 2mil gloss cast vinyl with UV light inhibitors and pressure-sensitive adhesive. **DURABILITY:** 3420 is rated for outdoor durability of 5 years. Application: Fleet & container markings. Railway car, bus, boat and recreational vehicle decoration. Flat, corrugated riveted or seamed surfaces. Superior conformability.

| Description | Size | Vendor Part # | PSS ID # |
|------------------------------------|----------|---------------|----------|
| 3220 2mil Cast Gloss Overlaminates | 30"x50yd | 3220-3015-000 | .37333 |
| 3220 2mil Cast Gloss Overlaminates | 36"x50yd | 3220-3615-000 | .37305 |
| 3220 2mil Cast Gloss Overlaminates | 50"x50yd | 3220-5015-000 | .37306 |
| 3220 2mil Cast Gloss Overlaminates | 54"x50yd | 3220-5415-000 | .37307 |
| 3220 2mil Cast Gloss Overlaminates | 60"x50yd | 3220-6015-000 | .37308 |

3230 2mil Matte Overlaminates Pressure-Sensitive Adhesive

3230 Matte Overlaminates is a 2mil matte cast vinyl with UV light inhibitors and pressure-sensitive adhesive. **DURABILITY:** 3420 is rated for outdoor durability of 5 years. Application: Fleet & container markings. Railway car, bus, boat and recreational vehicle decoration. Flat, corrugated riveted or seamed surfaces. Superior conformability.

| Description | Size | Vendor Part # | PSS ID # |
|------------------------------------|----------|---------------|----------|
| 3230 2mil Cast Matte Overlaminates | 30"x50yd | 3230-3015-000 | .37334 |
| 3230 2mil Cast Matte Overlaminates | 36"x50yd | 3230-3615-000 | .37309 |
| 3230 2mil Cast Matte Overlaminates | 50"x50yd | 3230-5015-000 | .37310 |
| 3230 2mil Cast Matte Overlaminates | 54"x50yd | 3230-5415-000 | .37311 |
| 3230 2mil Cast Matte Overlaminates | 60"x50yd | 3230-6015-000 | .37312 |

INTERMEDIATE OVERLAMINATE

3420 3mil Satin Overlaminates Pressure-Sensitive Adhesive

3420 Satin Overlaminates is a 3mil satin-calendered vinyl that provides moderate protection for printed graphics. **DURABILITY:** 3420 is rated for outdoor durability of 1 year. **APPLICATIONS:** Point-of-purchase displays, vending machines and architectural graphics. Flat, mild contours or seamed surfaces.

| Description | Size | Vendor Part # | PSS ID # |
|-------------------------------|----------|---------------|----------|
| 3420 3mil Satin Overlaminates | 30"x50yd | 3420-3015-000 | .37335 |
| 3420 3mil Satin Overlaminates | 36"x50yd | 3420-3615-000 | .37315 |
| 3420 3mil Satin Overlaminates | 50"x50yd | 3420-5015-000 | .37316 |
| 3420 3mil Satin Overlaminates | 54"x50yd | 3420-5415-000 | .37317 |
| 3420 3mil Satin Overlaminates | 60"x50yd | 3420-6015-000 | .37318 |

3320 1mil Semi-Gloss Anti-Graffiti Overlaminates Pressure-Sensitive Adhesive


3320 Semi-Gloss Anti-Graffiti Overlaminates is a 1-mil semi-gloss Tedlar® polyvinyl fluoride film with an aggressive pressure sensitive adhesive that requires only moderate pressure for bonding and has a kraft paper liner. Application: 3320 is an excellent choice for extra protection from the elements and when an anti-graffiti surface is needed. It is especially useful for automotive, agriculture and petroleum markings as well. Suitable for installations with flat, corrugated, riveted, seamed and simple contoured surfaces.

| Description | Size | Vendor Part # | PSS ID # |
|--|----------|---------------|----------|
| 3320 1mil Semi-Gloss Anti-Graffiti Overlaminates | 49"x50yd | 3320-4915-000 | .37313 |
| 3320 1mil Semi-Gloss Anti-Graffiti Overlaminates | 54"x50yd | 3320-5415-000 | .37314 |

..... AVERY DIGITAL

IPM – INKJET PRINT MEDIA – Water-Based EZ-APPLY ADHESIVE TECHNOLOGY

Easier Application: The embossed liner of Avery Graphics EZ-Apply material creates air-exit channels in the adhesive, a new way to provide smooth coverage and fewer wrinkles. Projects are quicker and easier--a significant advantage over other signage materials. More Forgiving: EZ-Apply Adhesive Technology allows air bubbles and wrinkles to simply be pushed down and out, making application easier. Amazingly, you can expect up to 50% savings in application time. Outstanding Dry Repositionability: No more need to wet apply. Once you start applying the vinyl, it can be removed and reapplied as many times as you like--for a perfect job, every time. Removability: Removes cleanly after life of graphic.



PREMIUM-CALENDERED SELF-ADHESIVE VINYL

IPM 2000EZ Premium Matte Vinyl with Permanent, EZ-Apply Adhesive

IPM 2000EZ is a 3.2mil premium-calendered matte-white vinyl with EZ-Apply Adhesive.

| Description | Size | Vendor Part # | PSS ID # |
|---|----------|---------------|----------|
| IPM 2000EZ 3.2mil Premium Matte White Vinyl EZ Permanent Adhesive | 36"x15yd | 3179 | .37012 |
| IPM 2000EZ 3.2mil Premium Matte White Vinyl EZ Permanent Adhesive | 50"x15yd | 3180 | .37013 |
| IPM 2000EZ 3.2mil Premium Matte White Vinyl EZ Permanent Adhesive | 54"x15yd | 3181 | .37014 |
| IPM 2000EZ 3.2mil Premium Matte White Vinyl EZ Permanent Adhesive | 60"x15yd | 3182 | .37015 |

IPM 2500 Premium Matte White Vinyl with Permanent Adhesive

IPM 2500 is a 3.4mil premium-calendered matte-white vinyl with permanent clear adhesive.

| Description | Size | Vendor Part # | PSS ID # |
|--|----------|---------------|----------|
| IPM 2500 3.4mil Premium Matte Vinyl Permanent Adhesive | 36"x10ft | 3177 | .37019 |
| IPM 2500 3.4mil Premium Matte Vinyl Permanent Adhesive | 36"x15yd | 3255 | .37020 |
| IPM 2500 3.4mil Premium Matte Vinyl Permanent Adhesive | 42"x15yd | 3254 | .37021 |
| IPM 2500 3.4mil Premium Matte Vinyl Permanent Adhesive | 50"x15yd | 3397 | .37022 |
| IPM 2500 3.4mil Premium Matte Vinyl Permanent Adhesive | 54"x15yd | 3460 | .37023 |
| IPM 2500 3.4mil Premium Matte Vinyl Permanent Adhesive | 60"x15yd | 3253 | .37024 |

IPM 2501 Premium Matte White Vinyl with Removable Adhesive

IPM 2501 is a 3.2mil premium-calendered matte-white vinyl with removable clear adhesive.

| Description | Size | Vendor Part # | PSS ID # |
|--|----------|---------------|----------|
| IPM 2501 3.2mil Premium Matte Vinyl Removable Adhesive | 36"x15yd | 3258 | .37025 |
| IPM 2501 3.2mil Premium Matte Vinyl Removable Adhesive | 42"x15yd | 3257 | .37026 |
| IPM 2501 3.2mil Premium Matte Vinyl Removable Adhesive | 50"x15yd | 3459 | .37027 |
| IPM 2501 3.2mil Premium Matte Vinyl Removable Adhesive | 54"x15yd | 3461 | .37028 |
| IPM 2501 3.2mil Premium Matte Vinyl Removable Adhesive | 60"x15yd | 3256 | .37029 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

4/24/2006

PRODUCT SIGN SUPPLIES

625 Emory Street, San Jose, CA 95110
4601 Pell Drive, Sacramento, CA 95838

408/294-5823
916/921-3333

800/540-9199
800/660-0553

FAX: 408/297-3325
FAX: 916/921-0136

.....
EVERY DIGITAL
(Continued)
.....

IPM – INKJET PRINT MEDIA – Water- Based (Continued)

SELF-ADHESIVE VINYL (Continued)

PROMOTIONAL-CALENDERED SELF-ADHESIVE VINYL

IPM 2001 Promotional Gloss Vinyl – Permanent Clear Adhesive

IPM 2001 is a 3.4mil promotional -calendered white gloss-white, vinyl with permanent clear adhesive.

| Description | Size | Vendor Part # | PSS ID # |
|---|----------|---------------|---------------|
| IPM 2001 3.4mil Promotional Gloss White Vinyl Perm Adhesive | 36"x10ft | 4321S | .37016 |
| IPM 2001 3.4mil Promotional Gloss White Vinyl Perm Adhesive | 36"x20yd | 4321 | .37017 |
| IPM 2001 3.4mil Promotional Gloss White Vinyl Perm Adhesive | 50"x20yd | 3242 | .37018 |

ECONOMY-CALENDERED SELF-ADHESIVE VINYL

IPM 3500 Economy Matte White Vinyl with Permanent Adhesive

IPM 3500 is a 3.4mil matte-white, economy calendered vinyl with permanent clear adhesive.

| Description | Size | Vendor Part # | PSS ID # |
|--|----------|---------------|---------------|
| IPM 3500 3.4mil Economy Matte Vinyl Permanent Adhesive | 36"x15yd | 3139 | .37030 |
| IPM 3500 3.4mil Economy Matte Vinyl Permanent Adhesive | 54"x15yd | 3141 | .37031 |
| IPM 3500 3.4mil Economy Matte Vinyl Permanent Adhesive | 60"x15yd | 3142 | .37032 |

ALWAYS TEST BEFORE PRODUCTION!
Refer to the manufacture’s Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

.....
EVERY DIGITAL**(Continued)**
.....**IPM – INKJET PRINT MEDIA – Water- Based (Continued)****SPECIALTY FILMS****IPM Premium White Display Film**

IPM Premium Display Film is a 4mil matte opaque-white, polyester film.

| Description | Size | Vendor Part # | PSS ID# |
|--|----------|---------------|---------|
| IPM 4mil Matte Opaque-White Display Film | 36"x25yd | 3216 | .37042 |
| IPM 4mil Matte Opaque-White Display Film | 44"x25yd | 3217 | .37043 |
| IPM 4mil Matte Opaque-White Display Film | 54"x25yd | 3218 | .37044 |

IPM Backlit/Frontlit Translucent Film

IPM Backlit/Frontlit Film is a 7mil, matte-translucent polyester film.

| Description | Size | Vendor Part # | PSS ID# |
|---|----------|---------------|---------|
| IPM 7mi Backlit/Frontlit Translucent Film | 36"x25yd | 3113 | .37045 |
| IPM 7mi Backlit/Frontlit Translucent Film | 44"x25yd | 3115 | .37046 |
| IPM 7mi Backlit/Frontlit Translucent Film | 50"x25yd | 3114 | .37047 |
| IPM 7mi Backlit/Frontlit Translucent Film | 60"x25yd | 3270 | .37048 |

ALWAYS TEST BEFORE PRODUCTION!


Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

..... AVERY DIGITAL

(Continued)
.....

MPI – MULTI-PURPOSE INKJET MEDIA – Solvent- Based EZ-APPLY ADHESIVE TECHNOLOGY

Easier Application: The embossed liner of Avery Graphics EZ-Apply material creates air-exit channels in the adhesive, a new way to provide smooth coverage and fewer wrinkles. Projects are quicker and easier--a significant advantage over other signage materials. More Forgiving: EZ-Apply Adhesive Technology allows air bubbles and wrinkles to simply be pushed down and out, making application easier. Amazingly, you can expect up to 50% savings in application time. Outstanding Dry Repositionability: No more need to wet apply. Once you start applying the vinyl, it can be removed and reapplied as many times as you like--for a perfect job, every time. Removability: Removes cleanly after life of graphic.



PREMIUM VINYL

MPI 1005 Premium-Cast Gloss-White Vinyl Permanent Clean-Removable

IPM1005 is a 2.1mil premium-cast gloss-white conformable vinyl with permanent adhesive that removes cleanly after life of graphic. **DURABILITY:** MPI 1005EZ is rated for unprinted outdoor durability of 5 years. Printed durability depends on the printer and inks used.

| Description | Size | Vendor Part # | PSS ID# |
|---|------------|---------------|---------|
| MPI 1005 2.1mil Gloss-White Premium Vinyl Perm/Clean-Rem Adhesive | 36"x50yd | 3088 | .37049 |
| MPI 1005 2.1mil Gloss-White Premium Vinyl Perm/Clean-Rem Adhesive | 48"x50yd | 3442 | .37051 |
| MPI 1005 2.1mil Gloss-White Premium Vinyl Perm/Clean-Rem Adhesive | 48"x100yd | 3276 | .37050 |
| MPI 1005 2.1mil Gloss-White Premium Vinyl Perm/Clean-Rem Adhesive | 54"x50yd | 3441 | .37053 |
| MPI 1005 2.1mil Gloss-White Premium Vinyl Perm/Clean-Rem Adhesive | 54"x50yd R | 3241 | .37054 |
| MPI 1005 2.1mil Gloss-White Premium Vinyl Perm/Clean-Rem Adhesive | 54"x100yd | 3272 | .37052 |
| MPI 1005 2.1mil Gloss-White Premium Vinyl Perm/Clean-Rem Adhesive | 60"x50yd | 3087 | .37055 |

MPI 1005EZ Premium-Cast Gloss-White Vinyl EZ-Apply Adhesive

MPI 1005EZ is a 2.1mil premium-cast gloss-white conformable vinyl with EZ-Apply Adhesive Technology that removes cleanly after life of graphic. **DURABILITY:** MPI 1005EZ is rated for unprinted outdoor durability of 5 years. Printed durability depends on the printer and inks used.

| Description | Size | Vendor Part # | PSS ID# |
|--|--------------|---------------|---------|
| MPI 1005EZ 2.1mil Gloss-White Premium Vinyl Perm EZ Adhesive | 24"x5yd | 3404 | .37056 |
| MPI 1005EZ 2.1mil Gloss-White Premium Vinyl Perm EZ Adhesive | 30"x40yd | 3392 | .37057 |
| MPI 1005EZ 2.1mil Gloss-White Premium Vinyl Perm EZ Adhesive | 48"x15yd | 3025 | .37059 |
| MPI 1005EZ 2.1mil Gloss-White Premium Vinyl Perm EZ Adhesive | 48"x50yd | 3443 | .37190 |
| MPI 1005EZ 2.1mil Gloss-White Premium Vinyl Perm EZ Adhesive | 48"x100yd | 3282 | .37058 |
| MPI 1005EZ 2.1mil Gloss-White Premium Vinyl Perm EZ Adhesive | 54"x50yd ltt | 3164 | .36989 |
| MPI 1005EZ 2.1mil Gloss-White Premium Vinyl Perm EZ Adhesive | 54"x50ydR | 3283 | .37063 |
| MPI 1005EZ 2.1mil Gloss-White Premium Vinyl Perm EZ Adhesive | 54"x100yd | 3077 | .37061 |
| MPI 1005EZ 2.1mil Gloss-White Premium Vinyl Perm EZ Adhesive | 60"x50yd ltt | 3144 | .37065 |
| MPI 1005EZ 2.1mil Gloss-White Premium Vinyl Perm EZ Adhesive | 60"x100yd | 3284 | .37064 |

ltt = (low tack tape) is specified for use on Mimaki JV-3 machines, but compatible with most solvent printers.

R = 3" notched core, reverse wound for Arizona 180 & 500 printers.

ALWAYS TEST BEFORE PRODUCTION!
Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

EVERY DIGITAL

(Continued)

MPI – MULTI-PURPOSE INKJET MEDIA – Solvent- Based (Continued)**INTERMEDIATE VINYL****MPI 2003EZ Premium-Calendered Low-Gloss White Vinyl EZ-Apply Adhesive**

MPI 2003EZ is a 3.4mil premium-calendered low-gloss white vinyl with permanent Easy-Apply™ Adhesive Technology. **DURABILITY:** MPI 2003 is rated for unprinted outdoor durability of 2 years. Printed durability depends on the printer and inks used.

| Description | Size | Vendor Part # | PSS ID# |
|--|--------------|---------------|---------|
| MPI 2003EZ 3.4mil Low-Gloss White Vinyl Perm EZ Adhesive | 24"x5yd | 3406 | .37078 |
| MPI 2003EZ 3.4mil Low-Gloss White Vinyl Perm EZ Adhesive | 48"x15yd | 3339 | .37079 |
| MPI 2003EZ 3.4mil Low-Gloss White Vinyl Perm EZ Adhesive | 48"x50yd ltt | 3338 | .37080 |
| MPI 2003EZ 3.4mil Low-Gloss White Vinyl Perm EZ Adhesive | 54"x50yd ltt | 3340 | .37081 |
| MPI 2003EZ 3.4mil Low-Gloss White Vinyl Perm EZ Adhesive | 54"x50yd R | 3341 | .37082 |
| MPI 2003EZ 3.4mil Low-Gloss White Vinyl Perm EZ Adhesive | 60"x50yd ltt | 3342 | .37083 |

MPI 2010 Premium-Calendered Matte-White Vinyl Permanent Adhesive

MPI 2010 is a 3.4mil premium-calendered matte- white vinyl with permanent-clear adhesive. **DURABILITY:** MPI 2010 is rated for unprinted outdoor durability of 5 years. Printed durability depends on the printer and inks used. Application: Offers exceptional value for applications requiring premium calendered film durability combined with removable adhesive performance.

| Description | Size | Vendor Part # | PSS ID# |
|--|--------------|---------------|---------|
| MPI 2010 3.4mil Matte-White Vinyl Permanent Adhesive | 24"x5yd | 3407 | .37084 |
| MPI 2010 3.4mil Matte-White Vinyl Permanent Adhesive | 30"x40yd | 3393 | .37085 |
| MPI 2010 3.4mil Matte-White Vinyl Permanent Adhesive | 48"x15yd | 3026 | .37087 |
| MPI 2010 3.4mil Matte-White Vinyl Permanent Adhesive | 48"x50yd | 3444 | .37088 |
| MPI 2010 3.4mil Matte-White Vinyl Permanent Adhesive | 48"x100yd | 4445 | .37086 |
| MPI 2010 3.4mil Matte-White Vinyl Permanent Adhesive | 54"x15yd R | 3067 | .37090 |
| MPI 2010 3.4mil Matte-White Vinyl Permanent Adhesive | 54"x50yd ltt | 3165 | .37091 |
| MPI 2010 3.4mil Matte-White Vinyl Permanent Adhesive | 54"x50yd R | 3000 | .37092 |
| MPI 2010 3.4mil Matte-White Vinyl Permanent Adhesive | 54"x100yd | 3085 | .37089 |
| MPI 2010 3.4mil Matte-White Vinyl Permanent Adhesive | 60"x50yd ltt | 3145 | .37094 |
| MPI 2010 3.4mil Matte-White Vinyl Permanent Adhesive | 60"x100yd | 4446 | .37093 |

MPI 2012 Premium-Calendered Matte-White Vinyl Removable-Gray Adhesive

MPI 2012 is a 3.4mil premium-calendered matte-white vinyl with removable gray-adhesive for increased opacity. **DURABILITY:** MPI 2012 is rated for unprinted outdoor durability of 5 years. Printed durability depends on the printer and inks used. Application: Offers exceptional value for applications requiring premium calendered film durability combined with permanent adhesive performance.

| Description | Size | Vendor Part # | PSS ID# |
|---|--------------|---------------|---------|
| MPI 2012 3mil Matte-White Vinyl Removable/Gray Adhesive | 48"x100yd | 3243 | .37095 |
| MPI 2012 3mil Matte-White Vinyl Removable/Gray Adhesive | 54"x50yd ltt | 3166 | .37096 |
| MPI 2012 3mil Matte-White Vinyl Removable/Gray Adhesive | 54"x50yd R | 3245 | .37097 |
| MPI 2012 3mil Matte-White Vinyl Removable/Gray Adhesive | 60"x50yd ltt | 3146 | .37099 |
| MPI 2012 3mil Matte-White Vinyl Removable/Gray Adhesive | 60"x100yd | 3244 | .37098 |

ltt = (low tack tape) is specified for use on Mimaki JV-3 machines, but compatible with most solvent printers.

R = 3" notched core, reverse wound for Arizona 180 & 500 printers.

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

EVERY DIGITAL

(Continued)

MPI – MULTI-PURPOSE INKJET MEDIA – Solvent- Based (Continued)
INTERMEDIATE VINYLs (Continued)**MPI 2021 Calendered Gloss-Clear Vinyl Ultra-Removable Adhesive**

MPI 2021 is a 3.4mil premium-calendered gloss-clear vinyl with ultra-removable adhesive. **DURABILITY:** MPI 2021 is rated for unprinted outdoor durability of 1 year. Printed durability depends on the printer and inks used. Application: Ideal for changeable interior or exterior window graphics, including retail promotions, company identification, point-of-purchase displays, and doorway signs and decals.

| Description | Size | Vendor Part # | PSS ID# |
|--|-----------|---------------|---------|
| MPI 2021 3.4mil Matte-Clear Vinyl Ultra-Removable Adhesive | 54"x100yd | 4447 | .37100 |

ECONOMY VINYLs**MPI 3000 Economy-Calendered Matte-White Vinyl Permanent Adhesive**

MPI 3000 is a 3.4mil economy-calendered matte-white vinyl with permanent-clear adhesive. **DURABILITY:** MPI 3000 is rated for unprinted outdoor durability of up to 2 years. Printed durability depends on the printer and inks used. Application: Offers an economical vinyl ideal for digital printing applications where print image is not critical. Permanent adhesive applications.

| Description | Size | Vendor Part # | PSS ID# |
|--|--------------|---------------|---------|
| MPI 3000 3.4mil Matte-White Vinyl Permanent Adhesive | 24"x5yd | .3408 | .37107 |
| MPI 3000 3.4mil Matte-White Vinyl Permanent Adhesive | 30"x40yd | 3394 | .37108 |
| MPI 3000 3.4mil Matte-White Vinyl Permanent Adhesive | 54"x15yd | 3028 | .37110 |
| MPI 3000 3.4mil Matte-White Vinyl Permanent Adhesive | 54"x15yd R | 3069 | .37111 |
| MPI 3000 3.4mil Matte-White Vinyl Permanent Adhesive | 54"x50yd ltt | 3167 | .37113 |
| MPI 3000 3.4mil Matte-White Vinyl Permanent Adhesive | 54"x50yd R | 3173 | .37114 |
| MPI 3000 3.4mil Matte-White Vinyl Permanent Adhesive | 54"x100yd | 3220 | .37109 |
| MPI 3000 3.4mil Matte-White Vinyl Permanent Adhesive | 54"x250yd | 3219 | .37112 |
| MPI 3000 3.4mil Matte-White Vinyl Permanent Adhesive | 60"x50yd ltt | 3147 | .37115 |

MPI 3001 Economy-Calendered Matte-White Vinyl Removable Adhesive

MPI 3001 is a 3.4mil economy-calendered matte-white vinyl with removable-clear adhesive. **DURABILITY:** MPI 3001 is rated for unprinted outdoor durability of up to 1 year. Printed durability depends on the printer and inks used. Application: Offers an economical vinyl ideal for digital printing applications where print image is not critical. Removable adhesive applications.

| Description | Size | Vendor Part # | PSS ID# |
|--|--------------|---------------|---------|
| MPI 3001 3.4mil Matte-White Vinyl Removable Adhesive | 54"x50yd ltt | 3168 | .37118 |
| MPI 3001 3.4mil Matte-White Vinyl Removable Adhesive | 54"x50yd R | 3176 | .37119 |
| MPI 3001 3.4mil Matte-White Vinyl Removable Adhesive | 54"x100yd | 3222 | .37116 |
| MPI 3001 3.4mil Matte-White Vinyl Removable Adhesive | 54"x250yd | 3221 | .37117 |
| MPI 3001 3.4mil Matte-White Vinyl Removable Adhesive | 60"x50yd ltt | 3148 | .37120 |

ltt = (low tack tape) is specified for use on Mimaki JV-3 machines, but compatible with most solvent printers.

R = 3" notched core, reverse wound for Arizona 180 & 500 printers.

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

EVERY DIGITAL

(Continued)

MPI – MULTI-PURPOSE INKJET MEDIA – Solvent- Based (Continued)
ECONOMY VINYLs (Continued)**MPI 3002 Billboard 3.4mil Calendered Matte Vinyl Permanent Adhesive**

MPI 3002 is a 3.4mil economy-calendered matte-white vinyl with permanent-clear adhesive. **DURABILITY:** MPI 3002 is rated for unprinted outdoor durability of 2 years. Printed durability depends on the printer and inks used. Application: Offers an economical vinyl ideal for digital printing applications where print image is not critical. Billboards

| Description | Size | Vendor Part # | PSS ID# |
|---|------------|---------------|---------|
| MPI 3002 3.4mil Matte Vinyl Aggressive/Permanent Adhesive | 48"x100yd | 3225 | .37121 |
| MPI 3002 3.4mil Matte Vinyl Aggressive/Permanent Adhesive | 54"x50yd R | 3001 | .37123 |
| MPI 3002 3.4mil Matte Vinyl Aggressive/Permanent Adhesive | 54"x100yd | 3215 | .37122 |
| MPI 3002 3.4mil Matte Vinyl Aggressive/Permanent Adhesive | 60"x100yd | 3214 | .37124 |

MPI 3003 Opaque Cover-Up 3.4mil Matte Vinyl Permanent/Gray Adhesive

MPI 3003 is a 3.4mil economy-calendered matte-white vinyl with permanent gray-adhesive for increased opacity. **DURABILITY:** MPI 3003 is rated for unprinted outdoor durability of 1 year. Printed durability depends on the printer and inks used. Application: Offers an economical vinyl ideal for digital printing applications where print image is not critical. Permanent adhesive applications.

| Description | Size | Vendor Part # | PSS ID# |
|---|------------|---------------|---------|
| MPI 3003 3.4mil Matte Vinyl Permanent/Gray Adhesive | 48"x50yd | 3273 | .37125 |
| MPI 3003 3.4mil I Matte Vinyl Permanent/Gray Adhesive | 54"x50yd R | 3274 | .37126 |
| MPI 3003 3.4mil Matte Vinyl Permanent/Gray Adhesive | 60"x50yd | 3275 | .37127 |

MPI 3100 Economy-Calendered Gloss-White Vinyl Permanent Adhesive

MPI 3100 is a 3.4mil economy-calendered gloss-white vinyl with permanent-clear adhesive. **DURABILITY:** MPI 3001 is rated for unprinted outdoor durability of up to 3 years. Printed durability depends on the printer and inks used. Application: POP, product identification labels, medium-term OEM decals as well as outdoor and general signage. Flat and simple curves. Permanent adhesive applications.

| Description | Size | Vendor Part # | PSS ID# |
|--|--------------|---------------|---------|
| MPI 3100 3.4mil Gloss-White Vinyl Permanent Adhesive | 24"x5yd | 3409 | .37128 |
| MPI 3100 3.4mil Gloss-White Vinyl Permanent Adhesive | 48"x50yd | 3440 | .37129 |
| MPI 3100 3.4mil Gloss-White Vinyl Permanent Adhesive | 54"x15yd | 3409 | .37131 |
| MPI 3100 3.4mil Gloss-White Vinyl Permanent Adhesive | 54"x50yd ltt | 3367 | .37132 |
| MPI 3100 3.4mil Gloss-White Vinyl Permanent Adhesive | 54"x50yd R | 3368 | .37133 |
| MPI 3100 3.4mil Gloss-White Vinyl Permanent Adhesive | 54"x100yd | 3369 | .37130 |
| MPI 3100 3.4mil Gloss-White Vinyl Permanent Adhesive | 60"x50yd ltt | 3370 | .37134 |

ltt = (low tack tape) is specified for use on Mimaki JV-3 machines, but compatible with most solvent printers.

R = 3" notched core, reverse wound for Arizona 180 & 500 printers.

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

EVERY DIGITAL

(Continued)

MPI – MULTI-PURPOSE INKJET MEDIA – Solvent- Based (Continued)
ECONOMY VINYLs (Continued)**MPI 3401 Taxi-Top Translucent 3.4mil Matte Vinyl Removable/Clear Adhesive**

IMP 3401 is a 3.4-mil economy-calendered matte, semi-translucent white vinyl with removable clear adhesive for backlit outdoor applications. **DURABILITY:** MPI 3401 is rated for unprinted outdoor durability of 1 year. Printed durability depends on the printer and inks used. Application: Short-term promotional transit applications, including taxi tops, subway and train graphics, bus shelters, and other transit applications.

| Description | Size | Vendor Part # | PSS ID# |
|--|------------|---------------|---------|
| MPI 3401 3.4mil Translucent Matte Vinyl Removable Adhesive 3”R | 54”x50yd R | 3002 | .37135 |
| MPI 3401 3.4mil Translucent Matte Vinyl Removable Adhesive 3” | 60”x50yd | 3249 | .37136 |

MPI 3402 Opaque 3mil Matte-White Vinyl Removable/Gray Adhesive

MPI 3402 is a 3.4mil economy-calendered matte-white vinyl with removable gray-adhesive for increased opacity. **DURABILITY:** MPI 3402 is rated for unprinted outdoor durability of 1 year. Printed durability depends on the printer and inks used. Application: Short-term promotional graphics. Ideal for tradeshow graphics and digital printing applications where print image is not critical. Gray-tinted adhesive for greater cover-up capability.

| Description | Size | Vendor Part # | PSS ID# |
|--|----------|---------------|---------|
| MPI 3402 3mil Opaque Matte-White Vinyl Removable/Gray Adhesive | 60”x50yd | 3251 | .37137 |

MPI 4201 Bus-Wrap 3.4mil Matte-White Vinyl Removable Gray Adhesive

MPI 4201 Bus-Wrap Vinyl is a 3.4mil economy-calendered matte-white vinyl with removable gray-adhesive for increased opacity. **DURABILITY:** MPI 4201 is rated for unprinted outdoor durability of 1 year. Printed durability depends on the printer and inks used. Application: Specifically designed for use in the temporary transit market requiring the use of a removable adhesive provides cover-up opacity as well as removability.

| Description | Size | Vendor Part # | PSS ID# |
|--|------------|---------------|---------|
| MPI 4201 3.4-mil Bus Wrap Matte-White Vinyl Permanent Adhesive | 48”x100yd | 4493 | .37142 |
| MPI 4201 3.4-mil Bus Wrap Matte-White Vinyl Permanent Adhesive | 54”x50yd R | 3004 | .37143 |

ltt = (low tack tape) is specified for use on Mimaki JV-3 machines, but compatible with most solvent printers.

R = 3” notched core, reverse wound for Arizona 180 & 500 printers.

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture’s Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

EVERY DIGITAL

(Continued)

MPI – MULTI-PURPOSE INKJET MEDIA – Solvent- Based (Continued)
ECONOMY VINYLs (Continued)**MPI Transit Economy-Calendered Vinyl Removable Adhesive**

MPI Transit Vinyl is a 3.4mil economy-calendered matte-white vinyl with removable clear-adhesive. **DURABILITY:** MPI Transit Vinyl is rated for unprinted outdoor durability of up to 1 year. Printed durability depends on the printer and inks used. Application: Specifically designed for the temporary transit advertising market.

| Description | Size | Vendor Part # | PSS ID# |
|---|--------------|---------------|---------|
| MPI Transit 3.4mil Matte-White Vinyl Removable Adhesive | 48"x100yd | 3353 | .37151 |
| MPI Transit 3.4mil Matte-White Vinyl Removable Adhesive | 54"x40yd R | 3591 | .37153 |
| MPI Transit 3.4mil Matte-White Vinyl Removable Adhesive | 54"x250yd | 3354 | .37152 |
| MPI Transit 3.4mil Matte-White Vinyl Removable Adhesive | 60"x100yd | 3119 | .37154 |
| MPI Transit 3.4mil Matte-White Vinyl Removable Adhesive | 62"x50yd ltt | 3357 | .37157 |
| MPI Transit 3.4mil Matte-White Vinyl Removable Adhesive | 62"x100yd | 3355 | .37155 |
| MPI Transit 3.4mil Matte-White Vinyl Removable Adhesive | 62"x250yd | 3356 | .37156 |

SPECIALTY VINYLs**MPI 4002 Perforated Window Film 7mil Matt-White Permanent Adhesive**

MPI 4002 Perforated Window Film is a 7-mil matte white/back perforated window film with permanent clear adhesive. **DURABILITY:** MPI 4002 is rated for unprinted outdoor durability of 1 year. Printed durability depends on the printer and inks used. Application: Graphics printed on this material are visible from the front and "invisible" from the back when mounted on windows.

| Description | Size | Vendor Part # | PSS ID# |
|---|-----------|---------------|---------|
| MPI 4002 7mil Perforated Window Film Permanent Adhesive | 48"x25yd | 3365 | .37139 |
| MPI 4002 7mil Perforated Window Film Permanent Adhesive | 48"x100yd | 4549 | .37138 |
| MPI 4002 7mil Perforated Window Film Permanent Adhesive | 54"x25yd | 3366 | .37141 |
| MPI 4002 7mil Perforated Window Film Permanent Adhesive | 54"x100yd | 3098 | .37140 |

MPI Premium Reflective 5.5mil High-Gloss White Vinyl Permanent Adhesive

MPI Premium Reflective is a 5.5mil gloss-white reflective vinyl with permanent clear adhesive. **DURABILITY:** MPI Reflective is rated for unprinted outdoor durability of up to 7 years. Printed durability depends on the printer and inks used. Application: Retroreflective film that meets or exceeds the applicable requirements of Federal specification L-S 300C (Reflectivity I).

| Description | Size | Vendor Part # | PSS ID# |
|--|----------|---------------|---------|
| MPI Reflective 5.5mil Gloss-White Vinyl Permanent Adhesive | 48"x50yd | 2552 | .37150 |

ltt = (low tack tape) is specified for use on Mimaki JV-3 machines, but compatible with most solvent printers.

R = 3" notched core, reverse wound for Arizona 180 & 500 printers.

ALWAYS TEST BEFORE PRODUCTION!
Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

EVERY DIGITAL

(Continued)

DOL – DIGITAL OVERLAMINATES

Pressure-Sensitive Overlaminates Film

DOL 1000 Gloss Cast Overlaminates

DOL 1000 Gloss is a 2.1mil clear-cast vinyl overlaminates with permanent adhesive. **DURABILITY:** DOL 1000 is rated for an outdoor durability of 5 years.

| Description | Size | Vendor Part # | PSS ID# |
|--|-----------|---------------|---------|
| DOL 1000 Gloss 2.1mil Cast Overlaminates Perm Adhesive | 30"x40yd | 3398 | .36994 |
| DOL 1000 Gloss 2.1mil Cast Overlaminates Perm Adhesive | 36"x50yd | 3595 | .36995 |
| DOL 1000 Gloss 2.1mil Cast Overlaminates Perm Adhesive | 48"x15yd | 3015 | .36997 |
| DOL 1000 Gloss 2.1mil Cast Overlaminates Perm Adhesive | 48"x100yd | 3699 | .36996 |
| DOL 1000 Gloss 2.1mil Cast Overlaminates Perm Adhesive | 54"x50yd | 3594 | .36999 |
| DOL 1000 Gloss 2.1mil Cast Overlaminates Perm Adhesive | 54"x100yd | 3078 | .36998 |
| DOL 1000 Gloss 2.1mil Cast Overlaminates Perm Adhesive | 60"x100yd | 3271 | .37000 |

DOL 1100 Matte Cast Overlaminates

DOL 1100 Matte is a 2.1mil clear-cast vinyl overlaminates with permanent adhesive. **DURABILITY:** DOL 1000 is rated for an outdoor durability of 5 years.

| Description | Size | Vendor Part # | PSS ID# |
|--|-----------|---------------|---------|
| DOL 1100 Matte 2.1mil Cast Overlaminates Perm Adhesive | 36"x50yd | 3600 | .37001 |
| DOL 1100 Matte 2.1mil Cast Overlaminates Perm Adhesive | 48"x50yd | 5249 | .37002 |
| DOL 1100 Matte 2.1mil Cast Overlaminates Perm Adhesive | 54"x50yd | 3601 | .37004 |
| DOL 1100 Matte 2.1mil Cast Overlaminates Perm Adhesive | 54"x100yd | 3086 | .37003 |

DOL 2000 Luster Calendered Overlaminates

DOL 2000 Luster is a 3.1mil calendered vinyl overlaminates with permanent adhesive. **DURABILITY:** DOL 2000 is rated for an outdoor durability of up to 3 years. **APPLICATIONS:** DOL 2000 Luster Clear has been specifically designed as a protective overlaminates film for screen or digital printed decals.

| Description | Size | Vendor Part # | PSS ID# |
|---|----------|---------------|---------|
| DOL 2000 Luster 3.1mil Calendered Overlaminates Perm Adhesive | 38"x50yd | 3187 | .37005 |
| DOL 2000 Luster 3.1mil Calendered Overlaminates Perm Adhesive | 44"x50yd | 3186 | .37006 |
| DOL 2000 Luster 3.1mil Calendered Overlaminates Perm Adhesive | 48"x15yd | 3017 | .37007 |
| DOL 2000 Luster 3.1mil Calendered Overlaminates Perm Adhesive | 54"x50yd | 3185 | .37008 |
| DOL 2000 Luster 3.1mil Calendered Overlaminates Perm Adhesive | 60"x50yd | 3396 | .37009 |

DOL 4500 Perforated Window Film Overlaminates

DOL 4500 Perforated Window Film Overlaminates is a super-clear 1-mil polyester overlaminates film with permanent adhesive. **DURABILITY:** DOL 4500 is rated for an outdoor durability of 1 year. **APPLICATIONS:** Provides a tough, durable, solvent and abrasion resistant surface. Provides enhanced durability to perforated films providing a super clear face and adhesive combination.

| Description | Size | Vendor Part # | PSS ID# |
|---|----------|---------------|---------|
| DOL 4500 Super-Clear 1mil Polyester Overlaminates Perm Adhesive | 48"x50yd | 3431 | .37010 |
| DOL 4500 Super-Clear 1mil Polyester Overlaminates Perm Adhesive | 54"x50yd | 3432 | .37011 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

EVERY DIGITAL

(Continued)

MPI – MULTI-PURPOSE INKJET MEDIA – Solvent- Based (Continued)**BANNERLINE™ SERIES****MPI Heavy-Duty Banner**

MPI Heavy-Duty Banner is a 15oz matte-white scrim banner. Smooth scrim banner, one-side printable, with block-out for outdoor banner applications.

| Description | Size | Vendor Part # | PSS ID# |
|---|--------------|---------------|---------|
| MPI 3402 15oz Heavy-Duty Matte-White Banner | 54"x15yd | 3131 | .37144 |
| MPI 3402 15oz Heavy-Duty Matte-White Banner | 54"x25yd ltt | 3197 | .37145 |
| MPI 3402 15oz Heavy-Duty Matte-White Banner | 54"x25yd R | 3043 | .37146 |
| MPI 3402 15oz Heavy-Duty Matte-White Banner | 54"x50yd | 3042 | .37147 |
| MPI 3402 15oz Heavy-Duty Matte-White Banner | 60"x25yd ltt | 3150 | .37148 |
| MPI 3402 15oz Heavy-Duty Matte-White Banner | 60"x50yd | 3041 | .37149 |

Saturn 12oz Block-Out Banner

Saturn Banner is a 12oz matte-white scrim banner. 100% block-out for double-sided screen or solvent ink jet printing, flame-retardant.

| Description | Size | Vendor Part # | PSS ID# |
|---|--------------|---------------|---------|
| Saturn Banner 12oz Double-Sided Block-Out Matte-White | 36"x25yd R | 881552 | .37171 |
| Saturn Banner 12oz Double-Sided Block-Out Matte-White | 36"x50yd | 3278 | .37172 |
| Saturn Banner 12oz Double-Sided Block-Out Matte-White | 36"x100yd | 881105 | .37169 |
| Saturn Banner 12oz Double-Sided Block-Out Matte-White | 36"x250yd | 881104 | .37170 |
| Saturn Banner 12oz Double-Sided Block-Out Matte-White | 54"x25yd ltt | 88139 | .37175 |
| Saturn Banner 12oz Double-Sided Block-Out Matte-White | 54"x25yd R | 881395 | .37176 |
| Saturn Banner 12oz Double-Sided Block-Out Matte-White | 54"x100yd | 881106 | .37173 |
| Saturn Banner 12oz Double-Sided Block-Out Matte-White | 54"x250yd | 881107 | .37174 |
| Saturn Banner 12oz Double-Sided Block-Out Matte-White | 64"x250yd | 881111 | .37177 |
| Saturn Banner 12oz Double-Sided Block-Out Matte-White | 72"x100yd | 881108 | .37178 |

ltt = (low tack tape) is specified for use on Mimaki JV-3 machines, but compatible with most solvent printers.

R = 3" notched core, reverse wound for Arizona 180 & 500 printers.

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

4/24/2006

PRODUCT SIGN SUPPLIES

625 Emory Street, San Jose, CA 95110
4601 Pell Drive, Sacramento, CA 95838

408/294-5823
916/921-3333

800/540-9199
800/660-0553

FAX: 408/297-3325
FAX: 916/921-0136

EVERY DIGITAL

(Continued)

MPI – MULTI-PURPOSE INKJET MEDIA – Solvent- Based (Continued)
BANNERLINE™ SERIES (Continued)

Jupiter 10oz Banner

Jupiter 10oz Banner is a 10oz matte scrim-banner material. 96% block-out for single-sided screen or solvent ink jet printing, flame-retardant.

| Description | Size | Vendor Part # | PSS ID# |
|--|-----------|---------------|---------|
| Jupiter Banner 10oz Single-Sided Matte White | 24"x40yd | J001-10-2440 | .33085 |
| Jupiter Banner 10oz Single-Sided Matte White | 36"x40yd | J001-10-3640 | .33103 |
| Jupiter Banner 10oz Single-Sided Matte White | 48"x40yd | J001-10-4840 | .33121 |
| Jupiter Banner 10oz Single-Sided Matte White | 54"x100yd | J001-10-5410 | .33139 |
| Jupiter Banner 10oz Single-Sided Matte White | 54"x40yd | J001-10-5440 | .33145 |
| Jupiter Banner 10oz Single-Sided Matte White | 61"x100yd | J001-10-6110 | .33921 |
| Jupiter Banner 10oz Single-Sided Matte White | 61"x40yd | J001-10-6140 | .36092 |
| Jupiter Banner 10oz Single-Sided Matte White | 72"x100yd | J001-10-7210 | .33157 |
| Jupiter Banner 10oz Single-Sided Matte White | 72"x40yd | J001-10-7240 | .33163 |

Jupiter 13oz Banner

(Temporarily unavailable from vendor see GMI or UltraFlex Banner)

Jupiter 13oz Banner is a 13oz gloss scrim banner material. 97% block-out for single-sided screen or solvent ink jet printing, flame-retardant.

| Description | Size | Vendor Part # | PSS ID# |
|--|-----------|---------------|---------|
| Jupiter Banner 13oz Single-Sided Gloss White | 24"x40yd | J001-13-2440 | |
| Jupiter Banner 13oz Single-Sided Gloss White | 36"x40yd | J001-13-3640 | |
| Jupiter Banner 13oz Single-Sided Gloss White | 36"x100yd | J001-13-36100 | |
| Jupiter Banner 13oz Single-Sided Gloss White | 48"x40yd | J001-13-4840 | |
| Jupiter Banner 13oz Single-Sided Gloss White | 54"x100yd | J001-13-5410 | |
| Jupiter Banner 13oz Single-Sided Gloss White | 54"x40yd | J001-13-5440 | |
| Jupiter Banner 13oz Single-Sided Gloss White | 61"x100yd | J001-13-6110 | |
| Jupiter Banner 13oz Single-Sided Gloss White | 61"x40yd | J001-13-6140 | |
| Jupiter Banner 13oz Single-Sided Gloss White | 72"x100yd | J001-13-7210 | |
| Jupiter Banner 13oz Single-Sided Gloss White | 72"x40yd | J001-13-7240 | |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture’s Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

ORACAL DIGITAL

ORAJET DIGITAL PRINT FILM– Solvent- Based COMMAND FORM™ Technology

Films with Oracal's exclusive CommandForm™ technology are engineered to be conformable, repositionable, removable and easy to use. The face film and adhesive used in these products provides a highly forgiving film that reduces the incidence and impact of bubbles and creases during application. CommandForm™ films also provide high tolerances of heat, along with the strength and durability needed to perform complex surface installations including vehicle wraps.

PREMIUM VINYL (6-10 YEAR)

3951 10-Year 2mil Professional-Wrap Vinyl with Command Form™ Technology

Orajet 3951 is a 2mil, 10-year cast, gloss-white vinyl with Command Form™ technology system - a special gray-pigmented, repositionable, permanent adhesive with 4-year removability. Clear, permanent adhesive for transparent film. **DURABILITY:** Orajet 3951 is rated for unprinted outdoor durability of 10 years. Printed durability depends on the printer and inks used. **APPLICATIONS:** Fleet, professional vehicle wraps, extended durability applications. Conformable, more forgiving and easier to install. Prints like a dream. Recommended Laminate: Oraguard 290 and 290F

| Description | Size | Vendor Part # | PSS ID# |
|---|------------|---------------|---------------|
| 3951 2mil Gloss White Vinyl Repositionable Gray Adhesive | 30"x55yd | 3951G-30-010 | .36975 |
| 3951 2mil Gloss White Vinyl Repositionable Gray Adhesive | 36"x55yd | 3951G-36-010 | .36977 |
| 3951 2mil Gloss White Vinyl Repositionable Gray Adhesive | 48"x55yd | 3951G-48-010 | .36978 |
| 3951 2mil Gloss White Vinyl Repositionable Gray Adhesive | 54"x55yd | 3951G-54-010 | .36980 |
| 3951 2mil Gloss White Vinyl Repositionable Gray Adhesive | 54"x55yd R | 3951G-54-10R | .36982 |
| 3951 2mil Gloss White Vinyl Repositionable Gray Adhesive | 60"x55yd | 3951G-60-010 | .33984 |
| 3951 2mil Gloss Transparent Vinyl Permanent Clear Adhesive | 30"x55yd | 3951G-30-010 | .36974 |
| 3951 2mil Gloss Transparent Vinyl Permanent Clear Adhesive | 36"x55yd | 3951G-36-000 | .36976 |
| 3951 2mil Gloss Transparent Vinyl Permanent Clear Adhesive | 54"x55yd | 3951G-54-000 | .36979 |
| 3951 2mil Gloss Transparent Vinyl Permanent Clear Adhesive | 54"x55yd R | 3951G-54-00R | .36981 |
| 3951 2mil Gloss Transparent Vinyl Permanent Clear Adhesive | 60"x55yd | 3951G-60-000 | .36983 |

3751 8-Year Premium Calendered Vinyl with Repositionable Permanent Adhesive

Orajet 3751 is a 2mil, 8-year high-performance calendered, gloss-white vinyl with a special gray-pigmented, repositionable, permanent. Printed durability depends on the printer and inks used. **DURABILITY:** Orajet 3751 is rated for unprinted outdoor durability of 8 years. **APPLICATIONS:** Vehicle, conformable, durable applications. Recommended Laminate: Oraguard 215 and 290

| Description | Size | Vendor Part # | PSS ID# |
|--|------------|----------------|---------------|
| 3751 2mil Gloss White Vinyl Repositionable Gray Adhesive | 36"x55yd | 3751G-36-010 | .36959 |
| 3751 2mil Gloss White Vinyl Repositionable Gray Adhesive | 54"x55yd | 3751G-54-010 | .36960 |
| 3751 2mil Gloss White Vinyl Repositionable Gray Adhesive | 54"x55yd R | 3751G-54-010R | .36961 |
| 3751 2mil Gloss White Vinyl Repositionable Gray Adhesive | 60"x55yd | 3751G-60-010 | .36962 |
| 3751 2mil Matte White Vinyl Repositionable Gray Adhesive | 54"x55yd R | 3751M-54-010R | .36963 |
| 3751 2mil Semi-Gloss White Vinyl Repositionable Gray Adhesive | 54"x55yd R | 3751SG-54-010R | .36964 |
| 3751 2mil Gloss Transparent Vinyl Clear Adhesive | 36"x55yd | 3751G-36-000 | .36958 |

R = 3" notched core, reverse wound for Arizona 180 & 500 printers.

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

ORACAL DIGITAL

(Continued)

ORAJET DIGITAL PRINT FILM– Solvent- Based (Continued)

PREMIUM VINYL (6-10 YEAR) (Continued)

3850 7-year Premium Calendered Translucent Vinyl with Permanent Adhesive

Orajet 3850 is a 3mil, 7-year, high-performance calendered, semi-gloss translucent-white vinyl with a clear, permanent adhesive. **DURABILITY:** Orajet 3850 is rated for unprinted outdoor durability of 7 years. Printed durability depends on the printer and inks used. **APPLICATIONS:** Created for indoor and outdoor backlit displays. Recommended Laminate: Oraguard 215.

| Description | Size | Vendor Part # | PSS ID# |
|---|------------|---------------|---------------|
| 3850 5mil Translucent Semi-Gloss White Vinyl Clear Adhesive | 30"x55yd | 3850-30-010 | .36968 |
| 3850 5mil Translucent Semi-Gloss White Vinyl Clear Adhesive | 54"x55yd | 3850-54-010 | .36969 |
| 3850 5mil Translucent Semi-Gloss White Vinyl Clear Adhesive | 54"x55yd R | 3850-54-010R | .36970 |
| 3850 5mil Translucent Semi-Gloss White Vinyl Clear Adhesive | 60"x55yd | 3850-60-010 | .36971 |

3551 6-Year Premium Calendered Vinyl with Repositionable Permanent Adhesive

Orajet 3551 is a 2.75mil, 6-year, high-performance calendered, gloss-white vinyl with gray-pigmented, repositionable, permanent adhesive with 4-year removability. **DURABILITY:** Orajet 3551 is rated for unprinted outdoor durability of 6 years. Printed durability depends on the printer and inks used. **APPLICATIONS:** Ideal for brilliant medium-term to long-term indoor and outdoor applications and vehicle graphics. It has been engineered for use on the retrofitted Roland SolventJet printer using Lyson inks. Recommended Laminate: Oraguard 215 and 290.

| Description | Size | Vendor Part # | PSS ID# |
|---|------------|---------------|---------------|
| 3551 2.75mil Gloss-White Vinyl Repositionable Gray Adhesive | 54"x55yd | 3551G-54-010 | .36871 |
| 3551 2.75mil Gloss-White Vinyl Repositionable Gray Adhesive | 54"x55yd R | 3551G-54-010R | .36872 |
| 3551 2.75mil Gloss-White Vinyl Repositionable Gray Adhesive | 60"x55yd | 3551G-60-010 | .36873 |

R = 3" notched core, reverse wound for Arizona 180 & 500 printers.

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

ORACAL DIGITAL

(Continued)

ORAJET DIGITAL PRINT FILM– Solvent- Based (Continued) INTERMEDIATE VINYL (5-YEAR)

3651 5-Year Calendered Vinyl with Gray-Pigmented Permanent Adhesive

Orajet 3651 is a 2.5mil, 5-year, intermediate calendered, white vinyl with a gray-pigmented, permanent adhesive. Clear, permanent adhesive for transparent film. **DURABILITY:** Orajet 3651 is rated for unprinted outdoor durability of 5 years. Printed durability depends on the printer and inks used. **APPLICATIONS:** General signage and vehicle graphics. Gray-tinted adhesive for more opacity. Flat and simple curves. Recommended Laminate: Oraguard 210 and 215

| Description | Size | Vendor Part # | PSS ID# |
|---|------------|---------------|---------|
| 3651 2.5mil Gloss White Vinyl Gray Permanent Adhesive | 30"x55yd | 3651G-30-010 | .36927 |
| 3651 2.5mil Gloss White Vinyl Gray Permanent Adhesive | 36"x55yd | 3651G-36-010 | .36929 |
| 3651 2.5mil Gloss White Vinyl Gray Permanent Adhesive | 54"x55yd | 3651G-54-010 | .36931 |
| 3651 2.5mil Gloss White Vinyl Gray Permanent Adhesive | 54"x55yd R | 3651G-54-10R | .36933 |
| 3651 2.5mil Gloss White Vinyl Gray Permanent Adhesive | 60"x55yd | 3651G-60-010 | .36935 |
| 3651 2.5mil Matte White Vinyl Perm Clear Adhesive | 30"x55yd | 3651M-30-010 | .36938 |
| 3651 2.5mil Matte White Vinyl Gray Permanent Adhesive | 36"x55yd | 3651M-36-010 | .36939 |
| 3651 2.5mil Matte White Vinyl Gray Permanent Adhesive | 54"x55yd | 3651M-54-010 | .36940 |
| 3651 2.5mil Matte Vinyl Gray Permanent Adhesive | 54"x55yd R | 3651M-54-10R | .36941 |
| 3651 2.5mil Matte White Vinyl Gray Permanent Adhesive | 60"x55yd | 3651M-60-010 | .36942 |
| 3651 2.5mil Semi-Gloss White Vinyl Gray Permanent Adhesive | 36"x55yd | 3651SG-36-10 | .36945 |
| 3651 2.5mil Semi-Gloss White Vinyl Gray Permanent Adhesive | 54"x55yd | 3651SG-54-10 | .36946 |
| 3651 2.5mil Semi-Gloss White Vinyl Gray Permanent Adhesive | 54"x55yd R | 3651SG-54-10R | .36947 |
| 3651 2.5mil Semi-Gloss White Vinyl Gray Permanent Adhesive | 60"x55yd | 3651SG-60-010 | .36948 |
| 3651 2.5mil Gloss Transparent Vinyl Clear Permanent Adhesive | 36"x55yd | 3651G-36-000 | .36928 |
| 3651 2.5mil Gloss Transparent Vinyl Clear Permanent Adhesive | 54"x55yd | 3651G-54-000 | .36930 |
| 3651 2.5mil Gloss Transparent Vinyl Clear Permanent Adhesive | 54"x55yd R | 3651G-54-000R | .36932 |
| 3651 2.5mil Gloss Transparent Vinyl Clear Permanent Adhesive | 60"x55yd | 3651G-60-000 | .36934 |

3691 5-Year Calendered Vinyl with Gray-Pigmented Removable Adhesive

Orajet 3691 is a 5-year, 2.5mil calendered, white vinyl with a gray, removable adhesive. **DURABILITY:** Orajet 3691 is rated for unprinted outdoor durability of 5 years. Printed durability depends on the printer and inks used. **APPLICATIONS:** General medium-term signage. Recommended Laminate: Oraguard 210 and 215

| Description | Size | Vendor Part # | PSS ID# |
|---|------------|-----------------|---------|
| 3691 2.5mil Gloss White Vinyl Gray Removable Adhesive | 54"x55yd | 3691G-54-010 | .36949 |
| 3691 2.5mil Gloss White Vinyl Gray Removable Adhesive | 54"x55yd R | 3691G-54-010RW | .36950 |
| 3691 2.5mil Gloss White Vinyl Gray Removable Adhesive | 60"x55yd | 3691G-60-010 | .36951 |
| 3691 2.5mil Matte White Vinyl Gray Removable Adhesive | 54"x55yd | 3691M-54-010 | .36952 |
| 3691 2.5mil Matte White Vinyl Gray Removable Adhesive | 54"x55yd R | 3691M-54-010RW | .36953 |
| 3691 2.5mil Matte White Vinyl Gray Removable Adhesive | 60"x55yd | 3691M-60-010 | .36954 |
| 3691 2.5mil Semi-Gloss White Vinyl Gray Removable Adhesive | 54"x55yd R | 3691SG-54-010RW | .36955 |

R = 3" notched core, reverse wound for Arizona 180 & 500 printers.

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

ORACAL DIGITAL

(Continued)

ORAJET DIGITAL PRINT FILM– Solvent- Based (Continued) **INTERMEDIATE VINYL (5-YEAR)(Continued)**

3165 5-Year Calendered Vinyl with Clear Permanent Adhesive

Orajet 3165 is a 5-year, 2.5mil calendered, white vinyl with a clear, permanent adhesive. **DURABILITY:** Orajet 3165 is rated for unprinted outdoor durability of 5 years. Printed durability depends on the printer and inks used. **APPLICATIONS:** Medium-term signage. General signage, flat-surfaces. Recommended Laminate: Oraguard 200, 210 and 215

| Description | Size | Vendor Part # | PSS ID# |
|--|------------|---------------|---------------|
| 3165 2.5mil Gloss White Vinyl Clear Permanent Adhesive | 54"x55yd | 3165G-54-010 | .36863 |
| 3165 2.5mil Gloss White Vinyl Clear Permanent Adhesive | 54"x55yd R | 3165G-54-010R | .36864 |
| 3165 2.5mil Gloss White Vinyl Clear Permanent Adhesive | 60"x55yd | 3165G-60-010 | .36865 |
| 3165 2.5mil Matte White Vinyl Clear Permanent Adhesive | 60"x55yd | 3165M-60-010 | .36866 |
| 3165 2.5mil Semi-Gloss White Vinyl Clear Permanent Adhesive | 60"x55yd | 3165SG-60-010 | .36867 |

ECONOMY VINYL (3-4 YEAR)

3164 4-Year Economy Calendered Vinyl with Gray-Pigmented Permanent Adhesive

Orajet 3164 is a 4-year, 3.75mil calendered, white vinyl with a clear, permanent, water-based adhesive. **DURABILITY:** Orajet 3164 is rated for unprinted outdoor durability of 4 years. Printed durability depends on the printer and inks used. **APPLICATIONS:** Economy-grade, general signage, flat surface. Recommended Laminate: Oraguard 200, (205 for 80"), 210 and 215S

| Description | Size | Vendor Part # | PSS ID# |
|---|-------------|---------------------|---------------|
| 3164 3mil Gloss White Vinyl Gray Removable Adhesive | 54"x55yd | 3164G-54-010 | .36847 |
| 3164 3mil Gloss White Vinyl Gray Removable Adhesive | 54"x55yd RW | 3164G-54-010R | .36848 |
| 3164 3mil Gloss White Vinyl Gray Removable Adhesive | 60"x55yd | 3164G-60-010 | .36850 |
| 3164 3mil Gloss White Vinyl Gray Removable Adhesive | 60"x109yd | 3164G-60-010(100M) | .36849 |
| 3164 3mil Gloss White Vinyl Gray Removable Adhesive | 80"x55yd | 3164G-80-010 | .36852 |
| 3164 3mil Gloss White Vinyl Gray Removable Adhesive | 80"x109yd | 3164G-80-010(100M) | .36851 |
| 3164 3mil Matte White Vinyl Gray Removable Adhesive | 30"x55yd | 3164M-30-010 | .36853 |
| 3164 3mil Matte White Vinyl Gray Removable Adhesive | 54"x55yd | 3164M-54-010 | .36854 |
| 3164 3mil Matte White Vinyl Gray Removable Adhesive | 54"x55yd RW | 3164M-54-010R | .36855 |
| 3164 3mil Matte White Vinyl Gray Removable Adhesive | 60"x55yd | 3164M-60-010 | .36857 |
| 3164 3mil Matte White Vinyl Gray Removable Adhesive | 60"x109yd | 3164M-60-010(100M) | .36856 |
| 3164 3mil Matte White Vinyl Gray Removable Adhesive | 80"x55yd | 3164M-80-010 | .36859 |
| 3164 3mil Matte White Vinyl Gray Removable Adhesive | 80"x109yd | 3164M-80-010(100M) | .36858 |
| 3164 3mil Semi-Gloss White Vinyl Gray Removable Adhesive | 60"x55yd | 3164SG-60-010 | .36861 |
| 3164 3mil Semi-Gloss White Vinyl Gray Removable Adhesive | 60"x109yd | 3164SG-60-010(100M) | .36860 |
| 3164 3mil Semi-Gloss White Vinyl Gray Removable Adhesive | 80"x55yd | 3164SG-80-010 | .36862 |

R = 3" notched core, reverse wound for Arizona 180 & 500 printers.

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

ORACAL DIGITAL

(Continued)

ORAJET DIGITAL PRINT FILM– Solvent- Based (Continued) **ECONOMY VINYL (4 YEAR)**

3640 4-Year Calendered Vinyl with Gray-Pigmented Permanent Adhesive

Orajet 3640 is a 4-year, 3mil calendered, white vinyl with a gray, permanent, water-based adhesive. **DURABILITY:** Orajet 3651 is rated for unprinted outdoor durability of 4 years. Printed durability depends on the printer and inks used. **APPLICATIONS:** Short and medium-term outdoor applications. Recommended Laminate: Oraguard 200, (205 for 80") and 210

| Description | Size | Vendor Part # | PSS ID# |
|--|------------|--------------------|---------------|
| 3640 3mil Gloss White Vinyl Gray Permanent Adhesive | 30"x55yd | 3640G-30-010 | .36909 |
| 3640 3mil Gloss White Vinyl Gray Permanent Adhesive | 54"x55yd | 3640G-54-010 | .36910 |
| 3640 3mil Gloss White Vinyl Gray Permanent Adhesive | 54" x55ydR | 3640G-54-010R | .36911 |
| 3640 3mil Gloss White Vinyl Gray Permanent Adhesive | 60"x55yd | 3640G-60-010 | .36913 |
| 3640 3mil Gloss White Vinyl Gray Permanent Adhesive | 60"x109yd | 3640G-60-010(100M) | .36912 |
| 3640 3mil Gloss White Vinyl Gray Permanent Adhesive | 80"x55yd | 3640G-80-010 | .36915 |
| 3640 3mil Gloss White Vinyl Gray Permanent Adhesive | 80"x109yd | 3640G-80-010(100M) | .36914 |
| 3640 3mil Matte White Vinyl Gray Permanent Adhesive | 30"x55yd | 3640M-30-010 | .36916 |
| 3640 3mil Matte White Vinyl Gray Permanent Adhesive | 54"x55yd | 3640M-54-010 | .36917 |
| 3640 3mil Matte White Vinyl Gray Permanent Adhesive | 54" x55ydR | 3640M-54-010R | .36918 |
| 3640 3mil Matte White Vinyl Gray Permanent Adhesive | 60"x55yd | 3640M-60-010 | .36919 |
| 3640 3mil Matte White Vinyl Gray Permanent Adhesive | 80"x55yd | 3640M-80-010 | .36921 |
| 3640 3mil Matte White Vinyl Gray Permanent Adhesive | 80"x109yd | 3640M-80-010(100M) | .36920 |

3621 4-Year Calendered Vinyl with Gray-Pigmented Removable Adhesive

Orajet 3621 is a 4-year, 3mil calendered, white vinyl with a gray-pigmented, removable, water-based adhesive. **DURABILITY:** Orajet 3621 is rated for unprinted outdoor durability of 4 years. Printed durability depends on the printer and inks used. **APPLICATIONS:** Shorter-term outdoor transit or billboard where removability is a necessity. Flat surface only. Recommended Laminate: Oraguard 200, (205 for 80") and 210.

| Description | Size | Vendor Part # | PSS ID# |
|--|------------|--------------------|---------------|
| 3621 3mil Gloss White Vinyl Gray Removable Adhesive | 30"x55yd | 3621G-30-010 | .36884 |
| 3621 3mil Gloss White Vinyl Gray Removable Adhesive | 48"x55yd | 3621G-48-010 | .36885 |
| 3621 3mil Gloss White Vinyl Gray Removable Adhesive | 54"x55yd | 3621G-54-010 | .36886 |
| 3621 3mil Gloss White Vinyl Gray Removable Adhesive | 54" x55ydR | 3621G-54-010R | .36887 |
| 3621 3mil Gloss White Vinyl Gray Removable Adhesive | 60"x55yd | 3621G-60-010 | .36889 |
| 3621 3mil Gloss White Vinyl Gray Removable Adhesive | 60"x109yd | 3621G-60-010(100M) | .36888 |
| 3621 3mil Gloss White Vinyl Gray Removable Adhesive | 80"x55yd | 3621G-80-010 | .36891 |
| 3621 3mil Gloss White Vinyl Gray Removable Adhesive | 80"x109yd | 3621G-80-010 | .36890 |
| 3621 3mil Matte White Vinyl Gray Removable Adhesive | 30"x55yd | 3621M-30-010 | .36892 |
| 3621 3mil Matte White Vinyl Gray Removable Adhesive | 48"x55yd | 3621M-48-010 | .36893 |
| 3621 3mil Matte White Vinyl Gray Removable Adhesive | 54"x55yd | 3621M-54-010 | .36894 |
| 3621 3mil Matte White Vinyl Gray Removable Adhesive | 60"x55yd | 3621M-60-010 | .36895 |
| 3621 3mil Matte White Vinyl Gray Removable Adhesive | 80"x109yd | 3621M-80-010(100M) | .36896 |

R = 3" notched core, reverse wound for Arizona 180 & 500 printers.

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

ORACAL DIGITAL

(Continued)

ORAJET DIGITAL PRINT FILM– Solvent- Based (Continued)

SPECIALTY VINYL

3631 3-Year Calendered Perforated-Window Vinyl with Removable Adhesive

Orajet 3631 is a 3-year, 5.5mil calendered, perforated-window gloss-white vinyl with a clear, removable adhesive. **DURABILITY:** Orajet 3631 is rated for unprinted outdoor durability of 3 years. Printed durability depends on the printer and inks used. **APPLICATIONS:** Developed for window graphics on vehicle, fleet and stationary applications. Recommended Laminate: Oraguard 290F

| Description | Size | Vendor Part # | PSS ID# |
|--|-------------------|---------------|---------------|
| 3631 5.5mil Gloss White Vinyl Clear Removable Adhesive | 24"x10yd | 3631G-24-010 | .36897 |
| 3631 5.5mil Gloss White Vinyl Clear Removable Adhesive | 24"x55yd | 3631G-24-010 | .36898 |
| 3631 5.5mil Gloss White Vinyl Clear Removable Adhesive | 30"x10yd | 3631G-30-010 | .36899 |
| 3631 5.5mil Gloss White Vinyl Clear Removable Adhesive | 30"x55yd | 3631G-30-010 | .36900 |
| 3631 5.5mil Gloss White Vinyl Clear Removable Adhesive | 36"x10yd | 3631G-36-010 | .36901 |
| 3631 5.5mil Gloss White Vinyl Clear Removable Adhesive | 36"x55yd | 3631G-36-010 | .36902 |
| 3631 5.5mil Gloss White Vinyl Clear Removable Adhesive | 54"x10yd | 3631G-54-010 | .36903 |
| 3631 5.5mil Gloss White Vinyl Clear Removable Adhesive | 54"x55yd | 3631G-54-010 | .36905 |
| 3631 5.5mil Gloss White Vinyl Clear Removable Adhesive | 54"x10yd R | 3631G-54-010R | .36904 |
| 3631 5.5mil Gloss White Vinyl Clear Removable Adhesive | 54"x55yd R | 3631G-54-010R | .36906 |
| 3631 5.5mil Gloss White Vinyl Clear Removable Adhesive | 60"x10yd | 3631G-60-010 | .36907 |
| 3631 5.5mil Gloss White Vinyl Clear Removable Adhesive | 60"x55yd | 3631G-60-010 | .36908 |

1663 3-Year Floor-Graphics Vinyl with Gray-Pigmented Removable Adhesive

Orajet 1663 is a 4.25mil, 3-year, highly-pigmented, intermediate calendered white vinyl with a clear, removable adhesive. **DURABILITY:** Orajet 1663 is rated for unprinted outdoor durability of 3 years. Printed durability depends on the printer and inks used. **APPLICATIONS:** Ideal for long-term, outdoor large format prints. Recommended Laminate: Oraguard 250AS and 255AS

| Description | Size | Vendor Part # | PSS ID# |
|--|------------|---------------|---------------|
| 1663 4.25mil Gloss White Vinyl Clear Removable Adhesive | 36"x55yd | 1663G-36-010 | .36818 |
| 1663 4.25mil Gloss White Vinyl Clear Removable Adhesive | 48"x55yd | 1663G-48-010 | .36819 |
| 1663 4.25mil Gloss White Vinyl Clear Removable Adhesive | 54"x55yd | 1663G-54-010 | .36820 |
| 1663 4.25mil Gloss White Vinyl Clear Removable Adhesive | 54"x55yd R | 1663G-54-010R | .36821 |
| 1663 4.25mil Gloss White Vinyl Clear Removable Adhesive | 60"x55yd | 1663G-60-010 | .36822 |
| 1663 4.25mil Matte White Vinyl Clear Removable Adhesive | 36"x55yd | 1663M-36-010 | .36823 |
| 1663 4.25mil Matte White Vinyl Clear Removable Adhesive | 48"x55yd | 1663M-48-010 | .36824 |
| 1663 4.25mil Matte White Vinyl Clear Removable Adhesive | 54"x55yd | 1663M-54-010 | .36825 |
| 1663 4.25mil Matte White Vinyl Clear Removable Adhesive | 54"x55yd R | 1663M-45-010R | .36826 |
| 1663 4.25mil Matte White Vinyl Clear Removable Adhesive | 60"x55yd | 1663M-60-010 | .36827 |

R = 3" notched core, reverse wound for Arizona 180 & 500 printers.

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

ORACAL DIGITAL

(Continued)

ORAGUARD LAMINATING FILM PREMIUM LAMINATING FILMS

290 Premium 2mil Cast Laminating Film

Oraguard 290 is a highly-flexible, 2mil cast laminating film with a clear, solvent-based adhesive and 51# silicone-coated paper liner. **DURABILITY:** Oraguard 290 has a 700% UV resistance. **APPLICATIONS:** Fleet and large graphic applications.

| Description | Size | Vendor Part # | PSS ID# |
|---------------------------------------|----------|---------------|---------------|
| 290 2mil Gloss Laminating Film | 30"x55yd | 290G-30 | .36788 |
| 290 2mil Gloss Laminating Film | 36"x55yd | 290G-36 | .36789 |
| 290 2mil Gloss Laminating Film | 40"x55yd | 290G-40 | .36790 |
| 290 2mil Gloss Laminating Film | 50"x55yd | 290G-50 | .36791 |
| 290 2mil Gloss Laminating Film | 54"x55yd | 290G-54 | .36792 |
| 290 2mil Gloss Laminating Film | 60"x55yd | 290G-60 | .36793 |
| 290 2mil Matte Laminating Film | 30"x55yd | 290M-30 | .36806 |
| 290 2mil Matte Laminating Film | 36"x55yd | 290M-36 | .36807 |
| 290 2mil Matte Laminating Film | 40"x55yd | 290M-40 | .36808 |
| 290 2mil Matte Laminating Film | 50"x55yd | 290M-50 | .36809 |
| 290 2mil Matte Laminating Film | 54"x55yd | 290M-54 | .36810 |
| 290 2mil Matte Laminating Film | 60"x55yd | 290M-60 | .36811 |

290F Optically-Clear Premium 2mil Cast Laminating Film

Oraguard 290F is an optically-clear, highly-flexible, 2mil cast laminating film with a clear, solvent-based adhesive and 1.5mil silicone-coated polyester-film liner. **DURABILITY:** Oraguard 290 has a 700% UV resistance. **APPLICATIONS:** Optically clear for protection of Orajet 3631 Window Graphics Film.

| Description | Size | Vendor Part # | PSS ID# |
|---|----------|---------------|---------------|
| 290GF 2mil Gloss Laminating Film | 30"x55yd | 290GF-30 | .36795 |
| 290GF 2mil Gloss Laminating Film | 30"x10yd | 290GF-30 | .36794 |
| 290GF 2mil Gloss Laminating Film | 36"x55yd | 290GF-36 | .36797 |
| 290GF 2mil Gloss Laminating Film | 36"x10yd | 290GF-36 | .36796 |
| 290GF 2mil Gloss Laminating Film | 40"x55yd | 290GF-40 | .36799 |
| 290GF 2mil Gloss Laminating Film | 40"x10yd | 290GF-40 | .36798 |
| 290GF 2mil Gloss Laminating Film | 50"x55yd | 290GF-50 | .36801 |
| 290GF 2mil Gloss Laminating Film | 50"x10yd | 290GF-50 | .36800 |
| 290GF 2mil Gloss Laminating Film | 54"x55yd | 290GF-54 | .36803 |
| 290GF 2mil Gloss Laminating Film | 54"x10yd | 290GF-54 | .36802 |
| 290GF 2mil Gloss Laminating Film | 60"x55yd | 290GF-60 | .36805 |
| 290GF 2mil Gloss Laminating Film | 60"x10yd | 290GF-60 | .36804 |
| 290MF 2mil Matte Laminating Film | 30"x55yd | 290MF-30 | .36812 |
| 290MF 2mil Matte Laminating Film | 36"x55yd | 290MF-36 | .36813 |
| 290MF 2mil Matte Laminating Film | 40"x55yd | 290MF-40 | .36814 |
| 290MF 2mil Matte Laminating Film | 50"x55yd | 290MF-50 | .36815 |
| 290MF 2mil Matte Laminating Film | 54"x55yd | 290MF-54 | .36816 |
| 290MF 2mil Matte Laminating Film | 60"x55yd | 290MF-60 | .36817 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

ORACAL DIGITAL

(Continued)

ORAGUARD LAMINATING FILM (Continued)

PREMIUM LAMINATING FILMS (Continued)

240 Premium Anti-Graffiti 1.5mil Laminating Film

Oraguard 240 is a 1mil, high-gloss, anti-graffiti polyvinyl fluoride laminating film with a clear, solvent-based adhesive and 51# silicone-coated paper liner. **DURABILITY:** Oraguard 240 has an 800% UV resistance. **APPLICATIONS:** Designed for high-quality, anti-graffiti protection of large-format digital prints in outdoor applications.

| Description | Size | Vendor Part # | PSS ID# |
|---|----------|---------------|---------|
| 240HG 1.5mil High-Gloss Anti-Graffiti Laminating Film | 30"x55yd | 240HG-30 | .36770 |
| 240HG 1.5mil High-Gloss Anti-Graffiti Laminating Film | 36"x55yd | 240HG-36 | .36771 |
| 240HG 1.5mil High-Gloss Anti-Graffiti Laminating Film | 40"x55yd | 240HG-40 | .36772 |
| 240HG 1.5mil High-Gloss Anti-Graffiti Laminating Film | 50"x55yd | 240HG-50 | .36773 |
| 240HG 1.5mil High-Gloss Anti-Graffiti Laminating Film | 54"x55yd | 240HG-54 | .36774 |
| 240HG 1.5mil High-Gloss Anti-Graffiti Laminating Film | 60"x55yd | 240HG-60 | .36775 |

215 Premium 2.75mil Calendered Laminating Film

Oraguard 215 is a 2.75mil calendered laminating film with a clear, solvent-based adhesive and 51# silicone-coated paper liner. **DURABILITY:** Oraguard 215 has a 400% UV resistance. **APPLICATIONS:** Fleet and large graphic applications.

| Description | Size | Vendor Part # | PSS ID# |
|---|----------|---------------|---------|
| 215G 2.75mil Gloss Laminating Film | 30"x55yd | 215G-30 | .36746 |
| 215G 2.75mil Gloss Laminating Film | 36"x55yd | 215G-36 | .36747 |
| 215G 2.75mil Gloss Laminating Film | 40"x55yd | 215G-40 | .36748 |
| 215G 2.75mil Gloss Laminating Film | 50"x55yd | 215G-50 | .36749 |
| 215G 2.75mil Gloss Laminating Film | 54"x55yd | 215G-54 | .36750 |
| 215M 2.75mil Gloss Laminating Film | 60"x55yd | 215G-60 | .36751 |
| 215M 2.75mil Matte Laminating Film | 30"x55yd | 215M-30 | .36752 |
| 215M 2.75mil Matte Laminating Film | 36"x55yd | 215M-36 | .36753 |
| 215M 2.75mil Matte Laminating Film | 40"x55yd | 215M-40 | .36754 |
| 215M 2.75mil Matte Laminating Film | 50"x55yd | 215M-50 | .36755 |
| 215M 2.75mil Matte Laminating Film | 54"x55yd | 215M-54 | .36756 |
| 215M 2.75mil Matte Laminating Film | 60"x55yd | 215M-60 | .36757 |
| 215SG 2.75mil Semi-Gloss Laminating Film | 30"x55yd | 215SG-30 | .36758 |
| 215SG 2.75mil Semi-Gloss Laminating Film | 36"x55yd | 215SG-36 | .36759 |
| 215SG 2.75mil Semi-Gloss Laminating Film | 40"x55yd | 215SG-40 | .36760 |
| 215SG 2.75mil Semi-Gloss Laminating Film | 50"x55yd | 215SG-50 | .36761 |
| 215SG 2.75mil Semi-Gloss Laminating Film | 54"x55yd | 215SG-54 | .36762 |
| 215SG 2.75mil Semi-Gloss Laminating Film | 60"x55yd | 215SG-60 | .36763 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

ORACAL DIGITAL

(Continued)

ORAGUARD LAMINATING FILM (Continued)

INTERMEDIATE LAMINATING FILMS (Continued)

210 Intermediate 2.5mil Calendered Laminating Film

Oraguard 210 is a 2.5mil, calendered laminating film with a clear, solvent-based adhesive and 51# silicone-coated paper liner. **DURABILITY:** Oraguard 210 has a 300% UV resistance. **APPLICATIONS:** Indoor and outdoor protection. Suitable for heat transfer and wet processing of E-stat prints.

| Description | Size | Vendor Part # | PSS ID# |
|--|----------|---------------|---------------|
| 210G 2.5mil Gloss Laminating Film | 30"x55yd | 210G-30 | .36728 |
| 210G 2.5mil Gloss Laminating Film | 36"x55yd | 210G-36 | .36729 |
| 210G 2.5mil Gloss Laminating Film | 40"x55yd | 210G-40 | .36730 |
| 210G 2.5mil Gloss Laminating Film | 50"x55yd | 210G-50 | .36731 |
| 210G 2.5mil Gloss Laminating Film | 54"x55yd | 210G-54 | .36732 |
| 210G 2.5mil Gloss Laminating Film | 60"x55yd | 210G-60 | .36733 |
| 210M 2.5mil Matte Laminating Film | 30"x55yd | 210M-30 | .36734 |
| 210M 2.5mil Matte Laminating Film | 36"x55yd | 210M-36 | .36735 |
| 210M 2.5mil Matte Laminating Film | 40"x55yd | 210M-40 | .36736 |
| 210M 2.5mil Matte Laminating Film | 50"x55yd | 210M-50 | .36737 |
| 210M 2.5mil Matte Laminating Film | 54"x55yd | 210M-54 | .36738 |
| 210M 2.5mil Matte Laminating Film | 60"x55yd | 210M-60 | .36739 |
| 210SG 2.5mil Semi-Gloss Laminating Film | 30"x55yd | 210SG-30 | .36740 |
| 210SG 2.5mil Semi-Gloss Laminating Film | 36"x55yd | 210SG-36 | .36741 |
| 210SG 2.5mil Semi-Gloss Laminating Film | 40"x55yd | 210SG-40 | .36742 |
| 210SG 2.5mil Semi-Gloss Laminating Film | 50"x55yd | 210SG-50 | .36743 |
| 210SG 2.5mil Semi-Gloss Laminating Film | 54"x55yd | 210SG-54 | .36744 |
| 210SG 2.5mil Semi-Gloss Laminating Film | 60"x55yd | 210SG-60 | .36745 |

220HG Intermediate 1.5mil High-Gloss Polyester Laminating Film

Oraguard 220HG is a 1.5mil, high-gloss polyester laminating film with a clear, solvent-based adhesive and 51# silicone-coated paper liner. **DURABILITY:** Oraguard 220HG has a 300% UV resistance. **APPLICATIONS:** Indoor and outdoor protection. Suitable for heat transfer and wet processing of E-stat prints.

| Description | Size | Vendor Part # | PSS ID# |
|---|----------|---------------|---------------|
| 220HG 1.5mil Gloss Polyester Laminating Film | 30"x55yd | 220HG-30 | .36764 |
| 220HG 1.5mil Gloss Polyester Laminating Film | 36"x55yd | 220HG-36 | .36765 |
| 220HG 1.5mil Gloss Polyester Laminating Film | 40"x55yd | 220HG-40 | .36766 |
| 220HG 1.5mil Gloss Polyester Laminating Film | 50"x55yd | 220HG-50 | .36767 |
| 220HG 1.5mil Gloss Polyester Laminating Film | 54"x55yd | 220HG-54 | .36768 |
| 220HG 1.5mil Gloss Polyester Laminating Film | 60"x55yd | 220HG-60 | .36769 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

ORACAL DIGITAL

(Continued)

ORAGUARD LAMINATING FILM (Continued)

ECONOMY LAMINATING FILMS

200 Economy 2.5mil Calendered Laminating Film

Oraguard 200 is a 2.5mil, calendered laminating film with a clear, water-based adhesive and 51# silicone-coated paper liner. **DURABILITY:** Oraguard 200 has a 200% UV resistance. **APPLICATIONS:** Economical laminate for indoor and outdoor protection.

| Description | Size | Vendor Part # | PSS ID# |
|--|----------|---------------|---------------|
| 200G 2.5mil Gloss Laminating Film | 30"x55yd | 200G-30 | .36708 |
| 200G 2.5mil Gloss Laminating Film | 36"x55yd | 200G-36 | .36709 |
| 200G 2.5mil Gloss Laminating Film | 40"x55yd | 200G-40 | .36710 |
| 200G 2.5mil Gloss Laminating Film | 50"x55yd | 200G-50 | .36711 |
| 200G 2.5mil Gloss Laminating Film | 54"x55yd | 200G-54 | .36712 |
| 200G 2.5mil Gloss Laminating Film | 60"x55yd | 200G-60 | .36713 |
| 200M 2.5mil Matte Laminating Film | 30"x55yd | 200M-30 | .36714 |
| 200M 2.5mil Matte Laminating Film | 36"x55yd | 200M-36 | .36715 |
| 200M 2.5mil Matte Laminating Film | 40"x55yd | 200M-40 | .36716 |
| 200M 2.5mil Matte Laminating Film | 50"x55yd | 200M-50 | .36717 |
| 200M 2.5mil Matte Laminating Film | 54"x55yd | 200M-54 | .36718 |
| 200M 2.5mil Matte Laminating Film | 60"x55yd | 200M-60 | .36719 |
| 200SG 2.5mil Semi-Gloss Laminating Film | 30"x55yd | 200SG-30 | .36720 |
| 200SG 2.5mil Semi-Gloss Laminating Film | 36"x55yd | 200SG-36 | .36721 |
| 200SG 2.5mil Semi-Gloss Laminating Film | 40"x55yd | 200SG-40 | .36722 |
| 200SG 2.5mil Semi-Gloss Laminating Film | 50"x55yd | 200SG-50 | .36723 |
| 200SG 2.5mil Semi-Gloss Laminating Film | 54"x55yd | 200SG-54 | .36724 |
| 200SG 2.5mil Semi-Gloss Laminating Film | 60"x55yd | 200SG-60 | .36725 |

205 Economy 2.5mil Calendered Laminating Film

Oraguard 205 is a 2.5mil, calendered laminating film with a clear, solvent-based adhesive and 51# silicone-coated paper liner. **DURABILITY:** Oraguard 205 has a 200% UV resistance. **APPLICATIONS:** This product was developed specially to protect large outdoor prints using Orajet Series 3164, 3621 and 3640. Available in 80" widths only.

| Description | Size | Vendor Part # | PSS ID# |
|--|----------|---------------|---------------|
| 205G 2.5mil Gloss Laminating Film | 80"x55yd | 200G-80 | .36726 |
| 205M 2.5mil Matte Laminating Film | 80"x55yd | 200M-80 | .36727 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

ORACAL DIGITAL**(Continued)****ORAGUARD LAMINATING FILM (Continued)****TEXTURED NON-SKID LAMINATING FILMS****250AS Textured Non-Skid 4.5mil Calendered Laminating Film**

Oraguard 250AS is a 4.5mil, textured, non-skid calendered laminating film with a clear, solvent-based permanent adhesive and 51# silicone-coated paper liner. **DURABILITY:** Oraguard 250AS meets ASTM D 2047 and BAMStVo Section 35 d3. **APPLICATIONS:** Suitable for protection of floor graphic. Recommended for Orajet Series 1663 film.

| Description | Size | Vendor Part # | PSS ID# |
|---------------------------------------|----------|---------------|---------------|
| 250AS 4.5mil Textured Laminating Film | 30"x55yd | 250AS-30 | .36776 |
| 250AS 4.5mil Textured Laminating Film | 36"x55yd | 250AS-36 | .36777 |
| 250AS 4.5mil Textured Laminating Film | 40"x55yd | 250AS-40 | .36778 |
| 250AS 4.5mil Textured Laminating Film | 50"x55yd | 250AS-50 | .36779 |
| 250AS 4.5mil Textured Laminating Film | 54"x55yd | 250AS-54 | .36780 |
| 250AS 4.5mil Textured Laminating Film | 60"x55yd | 250AS-60 | .36781 |

255AS Textured Non-Skid 6.5mil Calendered Laminating Film

Oraguard 255AS is a 6.5mil, textured, non-skid calendered laminating film with a clear, solvent-based permanent adhesive and 51# silicone-coated paper liner. **DURABILITY:** Oraguard 250AS meets ASTM D 2047 and BAMStVo Section 35 d3. **APPLICATIONS:** Suitable for protection of floor graphic exposed to very heavy loads. Recommended for Orajet Series 1663 film.

| Description | Size | Vendor Part # | PSS ID# |
|---------------------------------------|----------|---------------|---------------|
| 255AS 6.5mil Textured Laminating Film | 30"x55yd | 255AS-30 | .36782 |
| 255AS 6.5mil Textured Laminating Film | 36"x55yd | 255AS-36 | .36783 |
| 255AS 6.5mil Textured Laminating Film | 40"x55yd | 255AS-40 | .36784 |
| 255AS 6.5mil Textured Laminating Film | 50"x55yd | 255AS-50 | .36785 |
| 255AS 6.5mil Textured Laminating Film | 54"x55yd | 255AS-54 | .36786 |
| 255AS 6.5mil Textured Laminating Film | 60"x55yd | 255AS-60 | .36787 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

4/24/2006

PRODUCT SIGN SUPPLIES

625 Emory Street, San Jose, CA 95110
4601 Pell Drive, Sacramento, CA 95838

408/294-5823
916/921-3333

800/540-9199
800/660-0553

FAX: 408/297-3325
FAX: 916/921-0136

PSS PRINT SYSTEM

PSS PRINT SYSTEM SOLVENT PRINTABLE

Photo Paper 7 Mil Premium Gloss Solvent-Printable

7 Mil Premium Solvent Inkjet Gloss Photo Paper is a premium-quality, resin-coated, photobase paper with a high-gloss finish. Compatible with both EcoSol and High Grade Solvent inks. Superior color brilliance and image definition. High whiteness for wide color gamut. Handles high ink saturation without cockling. Abrasion resistant surface. No lamination required.

COMPATIBILITY: PRINTER: EcoSolvent: Mutoh® (Falcon II) **Wide Format Solvent:** Mimaki®, Mutoh®, Roland®, Seiko®, **Grand Format Solvent:** Gandi®, Inca®, Nur®, Scitex®, Vute®.

| Description | Size | Series # | PSS ID# |
|------------------------------------|----------|----------|---------------|
| 7 Mil Production Gloss Photo Paper | 36"X150' | 3240-SA | .37519 |
| 7 Mil Production Gloss Photo Paper | 60"X150' | 3240-SA | .36517 |

Canvas 19 Mil Opaque Gloss PolyCotton Solvent-Printable

| Description | Size | Series # | PSS ID# |
|---------------------------------------|----------|----------|---------------|
| 19 Mil Opaque Gloss PolyCotton Canvas | 60"X100' | 3460-SA | .36523 |

Polypropylene Film 8 Mil Premium Gloss BOPP Solvent-Printable

| Description | Size | Series # | PSS ID# |
|--|----------|----------|---------------|
| 8 Mil Premium Gloss Polypropylene BOPP | 60"X150' | 3625-SA | .36518 |

Polypropylene Film 8 Mil Premium Gloss BOPP with Perm Adhesive

| Description | Size | Series # | PSS ID# |
|--|----------|----------|---------------|
| 8 Mil Premium Gloss Polypropylene BOPP Perm Adhesive | 60"X100' | 3645-SA | .36519 |

Banner 11 Mil Valéron® Gloss Solvent-Printable

| Description | Size | Series # | PSS ID# |
|------------------------------|----------|----------|--------------|
| 11 Mil Valéron® Gloss Banner | 60"X150' | 3355-SA | .3620 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

PSS PRINT SYSTEM

(Continued)

PSS PRINT SYSTEM SOLVENT PRINTABLE (Continued)

PSS Scrim Banner 13oz Semi-Gloss White Single-Sided Solvent-Printable

PSS 13oz Scrim Banner is a front-lit, solvent-printable one side, flexible banner substrate and billboard fabric in semi-gloss finish.

| Description | Size | PSS ID# |
|--|----------|---------|
| PSS 13oz Scrim Semi-Gloss White Banner | 30"X151' | .37437 |
| PSS 13oz Scrim Semi-Gloss White Banner | 38"X151' | .37438 |
| PSS 13oz Scrim Semi-Gloss White Banner | 48"X151' | .37439 |
| PSS 13oz Scrim Semi-Gloss White Banner | 54"X151' | .37440 |
| PSS 13oz Scrim Semi-Gloss White Banner | 61"X151' | .37441 |
| PSS 13oz Scrim Semi-Gloss White Banner | 74"X151' | .37442 |
| PSS 13oz Scrim Semi-Gloss White Banner | 98"X151' | .37443 |

PSS Blockout Banner 15oz Block-out Matte White Single-Sided Solvent-Printable

PSS Blockout Banner is a heavy-duty, front-lit blockout, matte white, flexible banner substrate that is solvent-printable one side.

| Description | Size | PSS ID# |
|--|----------|---------|
| PSS 13oz Scrim Semi-Gloss White Banner | 36"X151' | .37444 |
| PSS 13oz Scrim Semi-Gloss White Banner | 54"X151' | .37445 |
| PSS 13oz Scrim Semi-Gloss White Banner | 72"X151' | .37446 |
| PSS 13oz Scrim Semi-Gloss White Banner | 80"X151' | .37447 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

PSS PRINT SYSTEM MEDIA

PSS PRINT SYSTEM AQUEOUS (Water-Base)

PHOTO PAPER

7mil Premium Satin Photo Paper

7 Mil Premium Satin Photo Paper is an economical yet premium-quality resin coated photo-base paper with a low-glare finish. Compatible with dye inks, superior color brilliance and image definition. High whiteness for wide color gamut and handles high ink saturation without cockle. Can be hot or cold laminated.

COMPATIBILITY: PRINTER: Aqueous Thermal: Hewlett-Packard®, Encad Novajet®, ColorSpan®.

INK TYPE: All Dyes.

| Description | Size | Series # | PSS ID# |
|--------------------------------|----------|----------|---------|
| 7mil Premium Satin Photo Paper | 24"X100' | 1230-DL | .36524 |
| 7mil Premium Satin Photo Paper | 36"X100' | 1230-DL | .36525 |
| 7mil Premium Satin Photo Paper | 42"X100' | 1230-DL | .36526 |
| 7mil Premium Satin Photo Paper | 44"X100' | 1230-DL | .36527 |
| 7mil Premium Satin Photo Paper | 50"X100' | 1230-DL | .36528 |
| 7mil Premium Satin Photo Paper | 60"X100' | 1230-DL | .36529 |

7mil Premium Gloss Photo Paper

7 Mil Premium Gloss Photo Paper is an economical yet premium-quality resin coated photo-base paper with a high-gloss finish. Compatible with dye inks, superior color brilliance and image definition. High whiteness for wide color gamut and handles high ink saturation without cockle. Can be hot or cold laminated.

COMPATIBILITY: PRINTER: Aqueous Thermal: Hewlett-Packard®, Encad Novajet®, ColorSpan®.

INK TYPE: All Dyes.

| Description | Size | Series # | PSS ID# |
|--------------------------------|----------|----------|---------|
| 7mil Premium Gloss Photo Paper | 24"X100' | 1240-DL | .36530 |
| 7mil Premium Gloss Photo Paper | 36"X100' | 1240-DL | .36531 |
| 7mil Premium Gloss Photo Paper | 42"X100' | 1240-DL | .36532 |
| 7mil Premium Gloss Photo Paper | 44"X100' | 1240-DL | .36533 |
| 7mil Premium Gloss Photo Paper | 50"X100' | 1240-DL | .36534 |
| 7mil Premium Gloss Photo Paper | 60"X100' | 1240-DL | .36535 |

8mil Universal Satin Photo Paper

8 mil Universal Satin Photo Paper is a premium-quality, resin-coated photobase paper with a low-glare, instant dry coating. Fast drying for high productivity is ideal for print press proofing. Compatible with both dye and UV-pigmented inks and is water resistant with both dye and UV-pigmented inks. Excellent color brilliance and image definition with high whiteness for wide color gamut. Handles high ink saturation without cockle and can be hot or cold laminated.

COMPATIBILITY: PRINTER: Aqueous Thermal: Hewlett-Packard®, Encad Novajet®, ColorSpan®. Aqueous Piezo: Epson®, Rolan®, Mutoh®, Mimaki®.

INK TYPE: All Dyes and UV-Pigments.

| Description | Size | Series # | PSS ID# |
|----------------------------------|----------|----------|---------|
| 8mil Universal Satin Photo Paper | 24"X100' | 1235-UA | .36536 |
| 8mil Universal Satin Photo Paper | 36"X100' | 1235-UA | .36537 |
| 8mil Universal Satin Photo Paper | 42"X100' | 1235-UA | .36538 |
| 8mil Universal Satin Photo Paper | 44"X100' | 1235-UA | .36539 |
| 8mil Universal Satin Photo Paper | 50"X100' | 1235-UA | .36540 |
| 8mil Universal Satin Photo Paper | 60"X100' | 1235-UA | .36541 |

PSS PRINT SYSTEM MEDIA

(Continued)

PSS PRINT SYSTEM AQUEOUS (Water-Base) (Continued)

PHOTO PAPER (Continued)

8mil Universal Gloss Photo Paper

8 mil Universal Satin Photo Paper is a premium-quality, resin-coated photobase paper with a high-sheen, instant dry coating. Fast drying for high productivity is ideal for print press proofing. Compatible with both dye and UV-pigmented inks and is water resistant with both dye and UV-pigmented inks. Excellent color brilliance and image definition with high whiteness for wide color gamut Handles high ink saturation without cockle and can be hot or cold laminated.

COMPATIBILITY: PRINTER: Aqueous Thermal: Hewlett-Packard®, Encad Novajet®, ColorSpan®. Aqueous Piezo: Epson®, Roland®, Mutoh®, Mimaki®. **INK TYPE:** All Dyes and UV-Pigments.

| Description | Size | Series # | PSS ID# |
|----------------------------------|----------|----------|---------|
| 8mil Universal Gloss Photo Paper | 24"X100' | 1245-UA | .36542 |
| 8mil Universal Gloss Photo Paper | 36"X100' | 1245-UA | .36543 |
| 8mil Universal Gloss Photo Paper | 42"X100' | 1245-UA | .36544 |
| 8mil Universal Gloss Photo Paper | 44"X100' | 1245-UA | .36545 |
| 8mil Universal Gloss Photo Paper | 50"X100' | 1245-UA | .36546 |
| 8mil Universal Gloss Photo Paper | 60"X100' | 1245-UA | .36547 |

VINYL WITH PRESSURE-SENSITIVE ADHESIVE

4mil Matte Vinyl Water-Resistant with Permanent Adhesive

4 Mil Permanent PSA Water-resistant Matte Vinyl is a water-resistant, calendered, white PVC vinyl with a permanent, pressure-sensitive adhesive and a non-glare finish. Adheres to a wide variety of smooth surfaces. Compatible with both dye and UV-pigmented inks, and water resistant with both dye and UV-pigmented inks. For indoor and outdoor use. Good color brilliance and image definition Cold lamination use only.

COMPATIBILITY: PRINTER: Aqueous Thermal: Hewlett-Packard®, Encad Novajet®, ColorSpan®. Aqueous Piezo: Epson®, Roland®, Mutoh®, Mimaki®. **INK TYPE:** All Dyes, UV-Pigment.

| Description | Size | Series # | PSS ID# |
|--------------------------------------|---------|----------|---------|
| 4 Mil Matte Vinyl Permanent Adhesive | 24"X60' | 1320-UA | .36548 |
| 4 Mil Matte Vinyl Permanent Adhesive | 36"X60' | 1320-UA | .36549 |
| 4 Mil Matte Vinyl Permanent Adhesive | 42"X60' | 1320-UA | .36550 |
| 4 Mil Matte Vinyl Permanent Adhesive | 44"X60' | 1320-UA | .36551 |
| 4 Mil Matte Vinyl Permanent Adhesive | 50"X60' | 1320-UA | .36552 |
| 4 Mil Matte Vinyl Permanent Adhesive | 60"X60' | 1320-UA | .36553 |

4mil Gloss Vinyl Water-Resistant with Permanent Adhesive

4 Mil Permanent PSA Water-resistant Gloss Vinyl is a water-resistant, calendered, white PVC vinyl with a permanent, pressure-sensitive adhesive and a gloss finish. Adheres to a wide variety of smooth surfaces. Compatible with UV-pigmented inks and water resistant with pigmented inks. For indoor and outdoor use. Good color brilliance and image definition. Cold lamination use only.

COMPATIBILITY: PRINTER: Aqueous Thermal: Hewlett-Packard®, Encad Novajet®, ColorSpan®. Aqueous Piezo: Epson®, Roland®, Mutoh®, Mimaki®. **INK TYPE:** All UV-Pigments.

| Description | Size | Series # | PSS ID# |
|--------------------------------------|---------|----------|---------|
| 4 Mil Gloss Vinyl Permanent Adhesive | 24"X60' | 1325-UA | .36554 |
| 4 Mil Gloss Vinyl Permanent Adhesive | 36"X60' | 1325-UA | .36555 |
| 4 Mil Gloss Vinyl Permanent Adhesive | 42"X60' | 1325-UA | .36556 |
| 4 Mil Gloss Vinyl Permanent Adhesive | 44"X60' | 1325-UA | .36557 |
| 4 Mil Gloss Vinyl Permanent Adhesive | 50"X60' | 1325-UA | .36558 |
| 4 Mil Gloss Vinyl Permanent Adhesive | 60"X60' | 1325-UA | .36559 |

PSS PRINT SYSTEM MEDIA

(Continued)

PSS PRINT SYSTEM AQUEOUS (Water-Base) (Continued)

VINYL WITH PRESSURE-SENSITIVE ADHESIVE (Continued)

4mil Matte Vinyl Water-Resistant with Removable Adhesive

4 Mil Removable PSA Water-resistant Matte Vinyl is a water-resistant, calendared white PVC vinyl with a removable pressure sensitive adhesive and a non-glare finish. Removable and short term repositionable, it is ideal for promotional applications and adheres to a wide variety of smooth surfaces. Compatible with both dye and UV-pigmented inks. Water resistant with both dye and pigmented inks and is for indoor and outdoor use. Good color brilliance and image definition. Cold lamination use only.

COMPATIBILITY: PRINTER: Aqueous Thermal: Hewlett-Packard®, Encad Novajet®, ColorSpan®, Aqueous Piezo: Epson®, Roland®, Mutoh®, Mimaki®.

INK TYPE: All Dyes and UV-Pigments.

| Description | Size | Series # | PSS ID# |
|--------------------------------------|---------|----------|---------|
| 4 Mil Matte Vinyl Removable Adhesive | 24"X60' | 1330-UA | .36560 |
| 4 Mil Matte Vinyl Removable Adhesive | 36"X60' | 1330-UA | .36561 |
| 4 Mil Matte Vinyl Removable Adhesive | 42"X60' | 1330-UA | .36562 |
| 4 Mil Matte Vinyl Removable Adhesive | 44"X60' | 1330-UA | .36563 |
| 4 Mil Matte Vinyl Removable Adhesive | 50"X60' | 1330-UA | .36564 |
| 4 Mil Matte Vinyl Removable Adhesive | 60"X60' | 1330-UA | .36565 |

4mil Gloss Vinyl Water-Resistant with Removable Adhesive

4 Mil Removable PSA Water-resistant Gloss Vinyl is a water-resistant, calendared white PVC vinyl with a removable pressure sensitive adhesive and a Gloss finish. Removable and short term repositionable, it is ideal for promotional applications and adheres to a wide variety of smooth surfaces. Compatible with pigmented inks. Water resistant with pigmented inks and is for indoor and outdoor use. Good color brilliance and image definition. Cold lamination use only.

COMPATIBILITY: PRINTER: Aqueous Thermal: Hewlett-Packard®, Encad Novajet®, ColorSpan®, Aqueous Piezo: Epson®, Roland®, Mutoh®, Mimaki®.

INK TYPE: All UV-Pigments.

| Description | Size | Series # | PSS ID# |
|--------------------------------------|---------|----------|---------|
| 4 Mil Gloss Vinyl Removable Adhesive | 24"X60' | 1335-UA | .36560 |
| 4 Mil Gloss Vinyl Removable Adhesive | 36"X60' | 1335-UA | .36561 |
| 4 Mil Gloss Vinyl Removable Adhesive | 42"X60' | 1335-UA | .36562 |
| 4 Mil Gloss Vinyl Removable Adhesive | 44"X60' | 1335-UA | .36563 |
| 4 Mil Gloss Vinyl Removable Adhesive | 50"X60' | 1335-UA | .36564 |
| 4 Mil Gloss Vinyl Removable Adhesive | 60"X60' | 1335-UA | .36565 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

PSS PRINT SYSTEM MEDIA

(Continued)

PSS PRINT SYSTEM AQUEOUS (Water-Base) (Continued)

BANNER

15 mil Smooth Scrim Matte Banner Water-Resistant

15 Mil Smooth Scrim Matte Banner Water-Resistant is a single-sided, water-resistant, smooth, opaque flexible PVC banner with a tear-resistant polyester fabric embedded between two white vinyl layers and a non-glare finish. Excellent light-blocking capability, for indoor and outdoor use and compatible with both dye and UV-pigmented inks. Water resistant with both dye and pigmented inks. Can be sewn and/or grommeted Good color brilliance and image definition. Cold lamination use only. **FLAME RESISTANT:** Meets California Health & Safety Code 13115.

COMPATIBILITY: PRINTER: Aqueous Thermal: Hewlett-Packard®, Encad, Novajet®, ColorSpan®, Aqueous Piezo: Epson®, Roland®, Mutoh®, Mimaki®.

INK TYPE: All Dyes and UV Pigments.

| Description | Size | Series # | PSS ID# |
|---|---------|----------|---------|
| 15 Mil Smooth Scrim Banner Matte Water-Resistant Single-Sided | 24"X40' | 1340-UA | .36572 |
| 15 Mil Smooth Scrim Banner Matte Water-Resistant Single-Sided | 36"X40' | 1340-UA | .36573 |
| 15 Mil Smooth Scrim Banner Matte Water-Resistant Single-Sided | 42"X40' | 1340-UA | .36574 |
| 15 Mil Smooth Scrim Banner Matte Water-Resistant Single-Sided | 44"X40' | 1340-UA | .36575 |
| 15 Mil Smooth Scrim Banner Matte Water-Resistant Single-Sided | 50"X40' | 1340-UA | .36576 |
| 15 Mil Smooth Scrim Banner Matte Water-Resistant Single-Sided | 60"X40' | 1340-UA | .36577 |

15 mil Smooth Scrim Gloss Banner Water-Resistant

15 Mil Smooth Scrim Gloss Banner Water-Resistant is a single-sided, water-resistant, smooth, opaque flexible PVC banner with a tear-resistant polyester fabric embedded between two white vinyl layers and a high-sheen finish. High gloss and high density with pigmented inks. Superior color brilliance and image definition. Excellent light-blocking capability, for indoor and outdoor use and compatible with pigmented inks. Water resistant with UV-pigmented inks. Can be sewn and/or grommeted. Cold lamination use only.

COMPATIBILITY: PRINTER: Aqueous Thermal: Hewlett-Packard®, Encad Novajet®, ColorSpan®, Aqueous Piezo: Epson®, Roland®, Mutoh®, Mimaki®.

INK TYPE: All UV-Pigments.

| Description | Size | Series # | PSS ID# |
|---|---------|----------|---------|
| 15 Mil Smooth Scrim Banner Gloss Water-Resistant Single-Sided | 24"X75' | 1345-UA | .36584 |
| 15 Mil Smooth Scrim Banner Gloss Water-Resistant Single-Sided | 36"X75' | 1345-UA | .36585 |
| 15 Mil Smooth Scrim Banner Gloss Water-Resistant Single-Sided | 42"X75' | 1345-UA | .36586 |
| 15 Mil Smooth Scrim Banner Gloss Water-Resistant Single-Sided | 44"X75' | 1345-UA | .36587 |
| 15 Mil Smooth Scrim Banner Gloss Water-Resistant Single-Sided | 50"X75' | 1345-UA | .36588 |
| 15 Mil Smooth Scrim Banner Gloss Water-Resistant Single-Sided | 60"X75' | 1345-UA | .36589 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

PSS PRINT SYSTEM MEDIA

(Continued)

PSS PRINT SYSTEM AQUEOUS (Water-Base) (Continued)

BANNER (Continued)

17 mil Smooth Scrim Matte Banner Water-Resistant Two-Sided

17 Mil Duplex Printable Scrim Matte Banner Water Resistant is a two-side printable, water-resistant, smooth, opaque flexible PVC banner with a tear-resistant polyester fabric embedded between two white vinyl layers and a non-glare finish. Excellent light-blocking capability and is for indoor and outdoor use. Compatible with both dye and pigmented inks. Water resistant with both dye and UV-pigmented inks. Can be sewn and/or grommets. Good color brilliance and image definition. Compatible with most Grand Format printers. Cold lamination use only.

COMPATIBILITY: PRINTER: Aqueous Thermal: Hewlett-Packard®, Encad Novajet®, ColorSpan®, Aqueous Piezo: Epson®, Roland®, Mutoh®, Mimaki®.

INK TYPE: All Dyes and UV-Pigments.

| Description | Size | Series # | PSS ID# |
|---|---------|----------|---------------|
| 17 Mil Smooth Scrim Banner Matte Water-Resistant Double-Sided | 24"X40' | 1340-UA | .36572 |
| 17 Mil Smooth Scrim Banner Matte Water-Resistant Double-Sided | 36"X40' | 1340-UA | .36573 |
| 17 Mil Smooth Scrim Banner Matte Water-Resistant Double-Sided | 42"X40' | 1340-UA | .36574 |
| 17 Mil Smooth Scrim Banner Matte Water-Resistant Double-Sided | 44"X40' | 1340-UA | .36575 |
| 17 Mil Smooth Scrim Banner Matte Water-Resistant Double-Sided | 50"X40' | 1340-UA | .36576 |
| 17 Mil Smooth Scrim Banner Matte Water-Resistant Double-Sided | 60"X40' | 1340-UA | .36577 |

15 Mil Economy Scrim Water-resistant Matte Banner

15 Mil Economy Scrim Water-resistant Matte Banner is a water-resistant, flexible, PVC banner with a highly tear-resistant polyester fabric embedded between two white vinyl layers and a non-glare finish. Low cost durable scrim banner for indoor and outdoor use. Compatible with dye and UV-pigmented inks. Water resistant with both dye and pigmented inks. Can be sewn and/or grommets. Good color brilliance and image definition. Cold lamination use only.

COMPATIBILITY: PRINTER: Aqueous Thermal: Hewlett-Packard®, Encad Novajet®, ColorSpan®, Aqueous Piezo: Epson®, Roland®, Mutoh®, Mimaki®.

INK TYPE: All Dyes, UV-Pigments.

| Description | Size | Series # | PSS ID# |
|--|---------|----------|---------------|
| 15 Mil Economy Scrim Matte Banner Water-resistant Single-Sided | 24"X75' | 1360-UA | .36595 |
| 15 Mil Economy Scrim Matte Banner Water-resistant Single-Sided | 36"X75' | 1360-UA | .36596 |
| 15 Mil Economy Scrim Matte Banner Water-resistant Single-Sided | 42"X75' | 1360-UA | .36597 |
| 15 Mil Economy Scrim Matte Banner Water-resistant Single-Sided | 44"X75' | 1360-UA | .36598 |
| 15 Mil Economy Scrim Matte Banner Water-resistant Single-Sided | 50"X75' | 1360-UA | .36599 |
| 15 Mil Economy Scrim Matte Banner Water-resistant Single-Sided | 60"X75' | 1360-UA | .36600 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

PSS PRINT SYSTEM MEDIA

(Continued)

PSS PRINT SYSTEM AQUEOUS (Water-Base) (Continued)

BANNER (Continued)

11 Mil Valéron® Matte Banner Water-Resistant

11 Mil Valéron® Matte Banner Water-Resistant is a water-resistant, high-density, specially-formulated polyethylene film with outstanding puncture and tear resistance and a non-glare finish. High strength Valéron® film is Ideal for use in high print sides and/or extreme tension. For indoor and outdoor use and compatible with dye and UV-pigmented inks. Water resistant with both dye and UV-pigmented inks. Does not require grommeting and is plasticizer-free. Good color brilliance and image definition. Cold lamination use only.

COMPATIBILITY: PRINTER: Aqueous Thermal: Hewlett-Packard®, Encad Novajet®, ColorSpan®, Aqueous Piezo: Epson®, Roland®, Mutoh®, Mimaki®.

INK TYPE: All Dyes and UV-Pigments.

| Description | Size | Series # | PSS ID# |
|---|---------|----------|---------------|
| 11 Mil Valéron® Matte Banner Water-Resistant Single-Sided | 36"X75' | 1350-UA | .36590 |
| 11 Mil Valéron® Matte Banner Water-Resistant Single-Sided | 42"X75' | 1350-UA | .36591 |
| 11 Mil Valéron® Matte Banner Water-Resistant Single-Sided | 44"X75' | 1350-UA | .36592 |
| 11 Mil Valéron® Matte Banner Water-Resistant Single-Sided | 50"X75' | 1350-UA | .36593 |
| 11 Mil Valéron® Matte Banner Water-Resistant Single-Sided | 60"X75' | 1350-UA | .36594 |

11 Mil Blockout Polyethylene Matte Banner Water-Resistant

11 Mil Blockout Polyethylene Matte Banner Water-resistant is a water resistant, smooth, flexible polyethylene banner with a blockout film embedded between two white polyethylene layers and has a non-glare finish. Ideal for promotional applications with excellent light-blocking and draping capabilities. For indoor and outdoor use Compatible with both dye and pigmented inks. Water resistant with both dye and UV-pigmented inks. Can be sewn and/or grommeted. Good color brilliance and image definition. Cold lamination use only.

COMPATIBILITY: PRINTER: Aqueous Thermal: Hewlett-Packard®, Encad Novajet®, ColorSpan®, Aqueous Piezo: Epson®, Roland®, Mutoh®, Mimaki®.

INK TYPE: All Dyes and UV-Pigments.

| Description | Size | Series # | PSS ID# |
|--|---------|----------|---------------|
| 11 Mil Blockout Polyethylene Matte Banner Water-resistant Single-Sided | 24"X90' | 1630-UA | .36607 |
| 11 Mil Blockout Polyethylene Matte Banner Water-resistant Single-Sided | 36"X90' | 1630-UA | .36608 |
| 11 Mil Blockout Polyethylene Matte Banner Water-resistant Single-Sided | 42"X90' | 1630-UA | .36609 |
| 11 Mil Blockout Polyethylene Matte Banner Water-resistant Single-Sided | 44"X90' | 1630-UA | .36610 |
| 11 Mil Blockout Polyethylene Matte Banner Water-resistant Single-Sided | 50"X90' | 1630-UA | .36611 |
| 11 Mil Blockout Polyethylene Matte Banner Water-resistant Single-Sided | 60"X90' | 1630-UA | .36612 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

PSS PRINT SYSTEM MEDIA

(Continued)

PSS PRINT SYSTEM AQUEOUS (Water-Base) (Continued)

POLYPROPYLENE FILM

8 Mil Water-resistant Matte Polypropylene Film BOPP

8 Mil Water-resistant Matte BOPP is a water-resistant, durable, low-cost, bi-axially oriented polypropylene film with a non-glare finish. Tear resistant film. For indoor and outdoor use. Compatible with both dye and UV-pigmented inks. Water resistant with both dye and UV-pigmented inks. Can be hemmed with double-sided banner tape. Good color brilliance and image definition. Cold lamination use only.

COMPATIBILITY: PRINTER: Aqueous Thermal: Hewlett-Packard®, Encad Novajet®, ColorSpan®, Aqueous Piezo: Epson®, Roland®, Mutoh®, Mimaki®.

INK TYPE: All Dyes and UV-Pigments.

| Description | Size | Series # | PSS ID# |
|---|----------|----------|---------|
| 8 Mil Matte Polypropylene Film BOPP Water-Resistant | 24"X100' | 1620-UA | .36601 |
| 8 Mil Matte Polypropylene Film BOPP Water-Resistant | 36"X100' | 1620-UA | .36602 |
| 8 Mil Matte Polypropylene Film BOPP Water-Resistant | 42"X100' | 1620-UA | .36603 |
| 8 Mil Matte Polypropylene Film BOPP Water-Resistant | 44"X100' | 1620-UA | .36604 |
| 8 Mil Matte Polypropylene Film BOPP Water-Resistant | 50"X100' | 1620-UA | .36605 |
| 8 Mil Matte Polypropylene Film BOPP Water-Resistant | 60"X100' | 1620-UA | .36606 |

8 Mil Water-resistant Matte Polypropylene Film BOPP with PSA

6 Mil Permanent PSA Water-resistant Matte BOPP is a water-resistant, biaxially oriented polypropylene film with a permanent, pressure-sensitive adhesive and a non-glare finish. Ideal for promotional adhesive signage. For indoor and short-term outdoor use. Compatible with both dye and pigmented inks. Water resistant with both dye and UV-pigmented inks. Adheres to a wide variety of smooth surfaces. Good color brilliance and image definition. Cold lamination use only.

COMPATIBILITY: PRINTER: Aqueous Thermal: Hewlett-Packard®, Encad Novajet®, ColorSpan®, Aqueous Piezo: Epson®, Roland®, Mutoh®, Mimaki®.

INK TYPE: All Dyes and UV-Pigments.

| Description | Size | Series # | PSS ID# |
|---|----------|----------|---------|
| 8 Mil Matte Polypropylene Film BOPP Water-Resistant Adhesive Backed | 36"X100' | 1620-UA | .36613 |
| 8 Mil Matte Polypropylene Film BOPP Water-Resistant Adhesive Backed | 42"X100' | 1620-UA | .36614 |
| 8 Mil Matte Polypropylene Film BOPP Water-Resistant Adhesive Backed | 44"X100' | 1620-UA | .36615 |
| 8 Mil Matte Polypropylene Film BOPP Water-Resistant Adhesive Backed | 50"X100' | 1620-UA | .36616 |
| 8 Mil Matte Polypropylene Film BOPP Water-Resistant Adhesive Backed | 60"X100' | 1620-UA | .36617 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

PSS PRINT SYSTEM MEDIA

(Continued)

PSS PRINT SYSTEM AQUEOUS (Water-Base) (Continued)

CANVAS

19 Mil PolyCotton Blend Water-Resistant Matte Canvas

19 Mil PolyCotton Blend Water-resistant Matte Canvas is a water-resistant canvas composed of 30% cotton with a 70% polyester blend giving it uniform surface and has a non-glare finish. Ideal for fine art reproduction, indoor signage, backdrops and murals. Compatible with dye and pigmented inks. Water resistant with both UV-pigment and dyes. Can be stretched without cracking. Excellent color brilliance and image definition. Compatible with most desktop ink jet printers. Spray fixing or spray lamination recommended.

COMPATIBILITY: PRINTER: Aqueous Thermal: Hewlett-Packard®, Encad Novajet®, ColorSpan®, Aqueous Piezo: Epson®, Roland®, Mutoh®, Mimaki®.

INK TYPE: All Dyes and UV-Pigments.

| Description | Size | Series # | PSS ID# |
|--|---------|----------|---------|
| 19 Mil PolyCotton Blend Water-resistant Matte Canvas | 24"X40' | 1440-UA | .36618 |
| 19 Mil PolyCotton Blend Water-resistant Matte Canvas | 36"X40' | 1440-UA | .36619 |
| 19 Mil PolyCotton Blend Water-resistant Matte Canvas | 42"X40' | 1440-UA | .36620 |
| 19 Mil PolyCotton Blend Water-resistant Matte Canvas | 44"X40' | 1440-UA | .36621 |
| 19 Mil PolyCotton Blend Water-resistant Matte Canvas | 50"X40' | 1440-UA | .36622 |
| 19 Mil PolyCotton Blend Water-resistant Matte Canvas | 60"X40' | 1440-UA | .36623 |

22 Mil 100% Cotton Water-Resistant Matte Canvas

22 Mil 100% Cotton Water-resistant Matte Canvas is a water-resistant canvas composed of 100% cotton giving it a varied surface enhancing it's natural appeal and has a non-glare finish. Ideal for fine art reproduction Indoor signage, backdrops and murals. Compatible with both dye and UV-pigmented inks. Water resistant with both dye and vpigmented inks. Can be stretched without cracking. Excellent color brilliance and image definition. Compatible with most desktop ink jet printers. Spray fixing or spray lamination recommended.

COMPATIBILITY: PRINTER: Aqueous Thermal: Hewlett-Packard®, Encad Novajet®, ColorSpan®, Aqueous Piezo: Epson®, Roland®, Mutoh®, Mimaki®.

INK TYPE: All Dyes and UV-Pigments.

| Description | Size | Series # | PSS ID# |
|---|---------|----------|---------|
| 22 Mil 100% Cotton Water-resistant Matte Canvas | 24"X40' | 1445-UA | .36624 |
| 22 Mil 100% Cotton Water-resistant Matte Canvas | 36"X40' | 1445-UA | .36625 |
| 22 Mil 100% Cotton Water-resistant Matte Canvas | 42"X40' | 1445-UA | .36626 |
| 22 Mil 100% Cotton Water-resistant Matte Canvas | 44"X40' | 1445-UA | .36627 |
| 22 Mil 100% Cotton Water-resistant Matte Canvas | 50"X40' | 1445-UA | .36628 |
| 22 Mil 100% Cotton Water-resistant Matte Canvas | 60"X40' | 1445-UA | .36629 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

ULTRAFLEX DIGITAL BANNER

ULTRAFLEX DIGITAL BANNER

Jetflex FL 13oz Banner Gloss & Matte White Single-Sided Solvent-Printable

Jetflex® FL 13oz Banner is a front-lit, solvent-printable one side, banner and billboard fabric in gloss or matte finish. Jetflex® FL's produces true, vibrant, eye-catching colors without problems concerning fish-eyes, streaking, or color drift. Ink will not scratch off, and drying time is minimal with no face-to-face sticking. Best suited for front-lit solvent-based inkjet printed signs. Jetflex® FL is flame-resistant (NFPA 701, California Fire Marshal) and RF weldable (heat sealable).

| Description | Size | PSS ID# |
|--|----------|---------------|
| Ultraflex Jetflex Banner 13oz Gloss White | 30"X164' | .36636 |
| Ultraflex Jetflex Banner 13oz Gloss White | 38"X164' | .36637 |
| Ultraflex Jetflex Banner 13oz Gloss White | 54"X164' | .36638 |
| Ultraflex Jetflex Banner 13oz Gloss White | 60"X164' | .36639 |
| Ultraflex Jetflex Banner 13oz Gloss White | 72"X164' | .36640 |
| Ultraflex Jetflex Banner 13oz Gloss White | 80"X164' | .36641 |
| Ultraflex Jetflex Banner 13oz Matte White | 30"X164' | .36643 |
| Ultraflex Jetflex Banner 13oz Matte White | 38"X164' | .36644 |
| Ultraflex Jetflex Banner 13oz Matte White | 54"X164' | .36645 |
| Ultraflex Jetflex Banner 13oz Matte White | 60"X164' | .36646 |
| Ultraflex Jetflex Banner 13oz Matte White | 72"X164' | .36647 |
| Ultraflex Jetflex Banner 13oz Matte White | 80"X164' | .36648 |

Normandy Pro Banner 13oz Gloss & Matte White Single-Sided Solvent-Printable

Ultraflex Systems Inc. Normandy® Pro is a durable, white, flexible substrate available in seamless 8'2" (2.50m) up to 16'4" (5m) wide rolls. Tear and fade resistant, Normandy® Pro will withstand most types of weather conditions. Normandy® Pro is best suited for front-lit computer inkjet printed signs and self-adhesive vinyl applications. Normandy® Pro is flame-resistant (NFPA 701, California Fire Marshal) and RF weldable (heat sealable 317 lbs/in.).

| Description | Size | PSS ID# |
|---|----------|---------------|
| Ultraflex Normandy Pro Banner 13oz Gloss | 98"X164' | .36642 |
| Ultraflex Normandy Pro Banner 13oz Matte | 98"X164' | .36649 |

Blockout Banner 15oz Matte White Double-Sided Solvent-Printable

Ultraflex Ultrablockout Banner™ Pro is a durable, white, flexible substrate available in seamless 10' 6" (3.2m) and 6' 7" (2.03m) wide rolls. Tear and fade resistant, Ultrablockout Banner™ Pro will withstand all types of weather conditions. Ultrablockout Banner™ Pro is especially well suited for double sided computer inkjet printed signs and banners. Ultrablockout Banner™ Pro is flame-resistant (NFPA 701, California Fire Marshal) and RF weldable (heat sealable 317 lbs/in.).

| Description | Size | PSS ID# |
|---|----------|---------------|
| Ultraflex Blockout Banner 15oz Matte | 54"X164' | .36653 |
| Ultraflex Blockout Banner 15oz Matte | 80"X164' | .36654 |

Strip-Mesh Banner 15oz Matte White Single-Sided Solvent-Printable

Strip Mesh™ Banner is a lightweight, porous fabric that allows air to flow through it. It is ideally suited for smaller images or can be used for frontlit signs, banners or any type of interior or exterior sign. Alternatively, it can be used for TV and stage backdrops. Strip Mesh™ is also the perfect fabric for building dressings, billboards, and wall hanging banners. Strip Mesh™ comes with a protective backing to prevent ink from being sprayed onto the printer that can be peeled off once the printing is completed. Strip Mesh is flame-resistant (NFPA 701, California Fire Marshal).

| Description | Size | PSS ID# |
|---|----------|---------------|
| Ultraflex Strip-Mesh Banner 15oz Matte White | 54"X164' | .36650 |
| Ultraflex Strip-Mesh Banner 15oz Matte White | 60"X164' | .36651 |
| Ultraflex Strip-Mesh Banner 15oz Matte White | 80"X164' | .36652 |

4/24/2006

PRODUCT SIGN SUPPLIES

625 Emory Street, San Jose, CA 95110
4601 Pell Drive, Sacramento, CA 95838

408/294-5823
916/921-3333

800/540-9199
800/660-0553

FAX: 408/297-3325
FAX: 916/921-0136

GMI DIGITAL MEDIA

GMI DIGITAL PRINT MEDIA

BANNER MEDIA

GMI 13oz Scrim Banner Solvent Printable

GMI 13oz Banner is an opaque scrim banner vinyl with a 2-year indoor and 1-year outdoor durability. One-sided, use for screen print or solvent inkjet printing process. Digital print-ready media is boxed and on a 3" core.

| Description | Size | Vendor Part # | PSS ID# |
|--|----------|---------------|---------|
| GMI Banner 13oz Gloss White Single-Sided | 24"x50yd | SPM13S2450N | .37339 |
| GMI Banner 13oz Gloss White Single-Sided | 30"x50yd | SPM13S3050N | .37340 |
| GMI Banner 13oz Gloss White Single-Sided | 36"x50yd | SPM13S3650N | .37341 |
| GMI Banner 13oz Gloss White Single-Sided | 48"x50yd | SPM13S4850N | .37342 |
| GMI Banner 13oz Gloss White Single-Sided | 54"x50yd | SPM13S5450N | .37343 |
| GMI Banner 13oz Gloss White Single-Sided | 60"x50yd | SPM13S6150N | .37345 |
| GMI Banner 13oz Gloss White Single-Sided | 72"x50yd | SPM13S7250N | .37346 |

WINDOW MEDIA

Clear-Ad Window Film Removable Adhesive Backed Solvent Printable

GMI Clear-Ad Window Film is a 4mil clear vinyl film with a low-tack, clear-removable, pressure-sensitive adhesive. Ideal for temporary window applications that can be removed without any adhesive residue.

| Description | Size | Vendor Part # | PSS ID# |
|---|----------|---------------|---------|
| Clear-Ad with Low-Tack Removable Adhesive | 54"x50yd | SPMCAD5450 | .37347 |

Static Cling Film – White & Clear Solvent Printable

GMI Static Cling Film is an 8mil thick film and is printable with most solvent-based inkjet printers. **DURABILITY:** Static Cling Film is intended for temporary use on indoor and outdoor glass applications. **APPLICATIONS:** Temporary window

| Description | Size | Vendor Part # | PSS ID# |
|--------------------|-----------|---------------|---------|
| Static Cling White | 30"nx30yd | SPMSHSW3030N | .37349 |
| Static Cling Clear | 30"nx30yd | SPMSHSW3030N | .37348 |
| Static Cling White | 54"x30yd | SPMSHSW5430 | .37351 |
| Static Cling Clear | 54"x30yd | SPMSHSW5430 | .37350 |

Magnetic Sheeting

Digital Magnetic Sheeting 20mil Solvent-Printable

GMI Digital Magnetic Sheeting is a 20mil, magnetic sheeting with a vinyl laminate that is solvent printable with most solvent and eco-solvent printers. GMI Digital Magnetic Sheeting can be used for indoor and outdoor applications.

| Description | Size | Vendor Part # | PSS ID# |
|-------------------------------------|---------|----------------|---------|
| GMI Digital Magnetic Sheeting 20mil | 24"x25' | SPMMAG0202425N | .37352 |
| GMI Digital Magnetic Sheeting 20mil | 30"x25' | SPMMAG0203025N | .37353 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

MISCELANEOUS DIGITAL MEDIA

DIGITAL MAGNETIC SHEETING SOLVENT-PRINTABLE

DigiMag Solvent-Printable Magnetic Sheeting

Expand your printing capabilities and save time with **DigiMag®** solvent-printable, magnetic sheeting for wide-format solvent printers. Now you can create personalized magnets in any color, combination of colors...even exciting full color. DigiMag® has multiple uses and applications like vehicles, promotional, refrigerator magnets, etc.

- Flexibility... DigiMag® magnet lays flat and adheres to most metal surfaces or Magnum's magnetic receptive RubberSteel® sheet.
- Easy to Use... print it, score it or punch it. DigiMag® magnet can be cut with a knife or scissors to any desired shape.
- Special surface white vinyl surface brings out the brilliant color of your creations. DigiMag® VINYL is available in matte and gloss finishes.
- Works with a variety of solvent & ecosol printers including Seiko, Roland®, and Mimaki®.
- DigiMag® VINYL can be used both indoors and outdoors.

| Description | Size | PSS ID# |
|---|----------|---------------|
| Magnum DigiMag Solvent Printable 20mil White Matte | 24'x25' | .37375 |
| Magnum DigiMag Solvent Printable 20mil White Matte | 24'x50' | .37376 |
| Magnum DigiMag Solvent Printable 20mil White Matte | 24'x100' | .37377 |
| Magnum DigiMag Solvent Printable 20mil White Gloss | 24'x25' | .37372 |
| Magnum DigiMag Solvent Printable 20mil White Gloss | 24'x50' | .37373 |
| Magnum DigiMag Solvent Printable 20mil White Gloss | 24'x100' | .37374 |
| Magnum DigiMag Solvent Printable 30mil White Matte | 24'x25' | .37381 |
| Magnum DigiMag Solvent Printable 30mil White Matte | 24'x50' | .37382 |
| Magnum DigiMag Solvent Printable 30mil White Matte | 24'x100' | .37383 |
| Magnum DigiMag Solvent Printable 30mil White Gloss | 24'x25' | .37378 |
| Magnum DigiMag Solvent Printable 30mil White Gloss | 24'x50' | .37379 |
| Magnum DigiMag Solvent Printable 30mil White Gloss | 24'x100' | .37380 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

MISCELLANEOUS DIGITAL MEDIA

(Continued)

SPECIALTY MATERIALS

ColorPrint™ Solvent Heat-Transfer Textile Decoration

ColorPrint™ Solvent for textile decorations has the best print quality, brightest digital image, excellent stretch and outstanding durability. ColorPrint™ Solvent is a gloss-white, polyurethane material designed for printing with solvent or eco-solvent printers. ColorPrint™ Solvent heat-transfers to cotton, cotton-blend, polyester and has been successfully applied to other fabrics including nylon and spandex. ColorPrint™ Solvent contains blockers to prevent dye migration (bleed) from reactive and sub-dyed fabrics.

Application:

1. Print and cut ColorPrint™ Solvent material "Right Reading".
2. Weed away unwanted background material.
3. Remove the image from the backing paper with our special Transfer & Seal transfer tape and position the image on your garment.
4. Transfer the image to your garment with a heat press, using firm pressure at 290°–300° F for 6-8 seconds. (Transfer & Seal transfer tape can be removed warm, other brands must peel cold.)
5. For greater durability, manufacturer recommends removing the transfer tape, covering the image with Transfer Parchment (included) and reheating the image for an additional 10-15 seconds.

Note: To insure greatest durability of digital prints, decorated garments should always be turned inside out, wash in gentle cycle with cold water and tumble dry. Since not all fabrics react the same, it is recommended that you always do sample tests prior to starting projects.

| Description | Size | PSS ID# |
|--------------------------------------|----------|---------|
| ColorPrint™ Solvent 24"x15' CPS 2160 | 24'x25ft | .37409 |
| ColorPrint™ Solvent 24"x75' CPS 2160 | 24'x75ft | .37410 |
| Transfer & Seal Transfer Tape TS1220 | 12"x20yd | .23140 |
| Transfer & Seal Transfer Tape TS2420 | 24"x20yd | .37417 |

ALWAYS TEST BEFORE PRODUCTION!
Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

CLEAR-COAT LIQUID LAMINATES

CLEARSTAR

CLEARSHIELD (Water-Based)

ClearShield® clear liquid laminate can be used instead of film laminates for non-water-sensitive ink/media combinations. ClearShield® was created using state-of-the-art resins and ultraviolet inhibitors that protect the substrate, ink, and the clear coating itself. These non-yellowing clear coatings have excellent exterior durability and are highly flexible. Use ClearShield® on most substrates, including waterproof canvas, vinyl, banners, fiberglass, wood, metal, plastic, and paper. You can apply it over solvent-based inks and most water-based paint systems. Use on digital output: solvent-based Ink, Electrostatic, Thermal and Pigmented Ink (non water-sensitive). It is chemical and abrasion resistance and is easily cleaned up with soap and water. Applies easily with brush, roller or spray. Use on most painted surfaces. **Always test before production.**

ClearShield (Original)

Clear Shield Original has the thickest film build and is suitable for vertical applications. Can be applied by sprayer, pad or foam applicator and roller.

| Description | Size | Vendor Part # | PSS ID# |
|--|--------|---------------|---------|
| ClearShield Original Formula Gloss Water-Based | Quart | WBCGQT | .17218 |
| ClearShield Original Formula Gloss Water-Based | Gallon | WBCGGL | .17219 |
| ClearShield Original Formula Semi-Gloss Water-Based | Quart | WBCSGQT | .17220 |
| ClearShield Original Formula Semi-Gloss Water-Based | Gallon | WBCSGGL | .17221 |
| ClearShield Original Formula Matte Water-Based | Gallon | WBCMGL | .17222 |

ClearShield Anti-Graffiti Clear (2-Part Requires CROSS-LINK Agent)

ClearShield Anti-Graffiti is a highly flexible, chemical and uv resistant. The two-component, water-based clear coat is easily cleaned of graffiti with solvent or Clearstar citrus-based cleaners. **NOTE:** Must be mixed with **CROSS-LINK** for the anti-graffiti properties to work.

| Description | Size | Vendor Part # | PSS ID# |
|---|--------|---------------|---------|
| ClearShield Anti-Graffiti Clear Gloss Water-Based | Quart | WBCGAGQT | .34215 |
| ClearShield Anti-Graffiti Clear Gloss Water-Based | Gallon | WBCGAGGL | .36699 |

ClearShield CROSS-LINK AGENT

CROSS-LINK is a water-base cross-link agent used to activate Anti-Graffiti clear and can be added to other ClearShield products to enhance their performance. **NOTE:** Activation levels vary, consult technical data sheet prior to use.

| Description | Size | Vendor Part # | PSS ID# |
|------------------------------------|------|---------------|---------|
| ClearShield CROSS-LINK Water-Based | 4oz | WBCSCX4OZ | .34221 |

ClearShield LL (For Liquid Laminators)

ClearShield LL Lower viscosity than original ClearShield. Same resin solids. Use with liquid-laminate machines.

| Description | Size | Vendor Part # | PSS ID# |
|----------------------------------|--------|---------------|---------|
| ClearShield LL Gloss Water-Based | Gallon | WBCLLGL | .35553 |

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

CLEAR-COAT LIQUID LAMINATES

(Continued)

CLEARSTAR (Continued)

CLEARSHIELD (Water-Based) Continued

ClearShield C (For Canvas)

ClearShield C is for waterproof canvas applications (highly flexible). Also suitable for micro porous substrates to reduce or eliminate pinholes. Use all techniques, including most automated equipment. Daige laminator requires a special version. Daige product code WBCG1006 - Gloss.

| Description | Size | Vendor Part # | PSS ID# |
|--|--------|---------------|---------------|
| ClearShield C (For Canvas) 30% Satin Water-Based | Quart | WBCLGCANQT | .35570 |
| ClearShield C (For Canvas) 30% Satin Water-Based | Gallon | WBCLGCANGL | .35571 |
| ClearShield C (For Canvas) Gloss Water-Based | Quart | WBCGCANQT | .35564 |
| ClearShield C (For Canvas) Gloss Water-Based | Gallon | WBCGCANGL | .35561 |
| ClearShield C (For Canvas) Semi-Gloss Water-Based | Quart | WBCSGCANQT | .35564 |
| ClearShield C (For Canvas) Semi-Gloss Water-Based | Gallon | WBCSGCANGL | .35561 |

CLEARJET (Solvent-Based)

CLEARJET is great for digital prints. ClearJet aerosol can be used on non enamel-receptive vinyl banners. ClearJet aerosol has plastisizer-blocking chemicals that enable it to properly cure and harden completely. **Always test before production.**

| Description | Size | Vendor Part # | PSS ID# |
|---|--------|---------------|---------------|
| ClearJet Aerosol (Spray Can) Gloss Solvent-Based | 12oz | SBCJGA2 | .32004 |
| ClearJet Aerosol (Spray Can) Semi-gloss Solvent-Based | 12oz | SBCJSGA2 | .32007 |
| ClearJet Liquid Ready-To-Spray Gloss Solvent-Based | Gallon | SBCJGSGL | .34696 |
| ClearJet Liquid Ready-To-Spray Semi-Gloss Solvent-Based | Gallon | SBCJGSGL | .34697 |
| ClearJet Reducer Solvent-based | Quart | REBCJQT | .34698 |
| ClearJet Reducer Solvent-based | Gallon | REBCJGL | .34699 |

SUPERFROG

SUPERFROG 7000 Sun Screen

SUPERFROG 7000 Sun Screen is a crystal clear, non-yellowing, high-gloss product that keeps colors brighter, longer. It is available in solvent and water-based. **DO NOT USE** solvent-based 7000 Sun Screen on non enamel-receptive vinyl banners. The plastisizers in the vinyl will cause the Sunscreen to not dry correctly and remain tacky. **Always test before production.**

| Description | Size | PSS ID# |
|---|--------|---------------|
| 7000 Sunscreen Aerosol (Spray Can) Clear Gloss Solvent-Based | 12oz | .17186 |
| 7000 Sunscreen Liquid Clear Gloss Solvent-Based | Quart | .17185 |
| 7000 Sunscreen Liquid Clear Gloss Solvent-Based | Gallon | .27421 |
| 7000 Sunscreen Liquid Clear Gloss Water-Based | Quart | .30836 |
| 7000 Sunscreen Liquid Clear Gloss Water-Based | Gallon | .30837 |

ALWAYS TEST BEFORE PRODUCTION!
Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

4/24/2006

625 Emory Street, San Jose, CA 95110
4601 Pell Drive, Sacramento, CA 95838

PRODUCT SIGN SUPPLIES

408/294-5823
916/921-3333

800/540-9199
800/660-0553

FAX: 408/297-3325
FAX: 916/921-0136

BANNER ACCESSORIES

GROMMET TOOLS

FASNAP Series PM-5 Grommet Press - No need to pre-punch holes, the PM-5 Series grommet press with FASNAP dies will punch the hole and set the grommet and washer in one stroke. What a time saver!

SET-IT-YOURSELF Grommet Kit - Not for use with Spur grommets (plain only).

DIE SETS for grommet sizes other than #2 above are available. These require a 5-day lead-time. Call for pricing.




| Description | PSS ID# |
|--|---------|
| Rawhide Mallet No 196 10 oz. | .19736 |
| Set-It-Yourself Grommet Kit #2 | .19737 |
| Hole Punch No 245 for #2 grommet | .19738 |
| Hole Cutter No 500 for #2 grommet | .19739 |
| Grommet Bench Press w/o Dies FASNAP No PM-5AL-Aluminum | .19741 |
| Grommet Bench Press w/o Dies FASNAP No PM-5 - Iron | .19742 |
| Die Set Self-Piercing #2 - G/W for FASNAP | .19743 |
| Die Insert No 216 #2 (Hand Setting) | .19744 |

GROMMETS

Standard Grommets

STANDARD GROMMETS includes Grommet & Washer.



| Description | PSS ID# |
|---|---------|
| #0 1/4" Plain Brass Gross (144pair) | .19774 |
| #0 1/4" Nickel Gross (144pair) | .19775 |
| #1 9/32" Plain Brass Gross (144pair) | .19776 |
| #2 3/8" Plain Brass Gross (144pair) | .19777 |
| #2 3/8" Brass Roll Rim Spur Nshr Gross (144 pair) | .19778 |
| #2 3/8" Plain Nickel Gross (144pair) | .19779 |
| #3 7/16" Plain Brass Gross (144pair) | .19780 |
| #4 1/2" Plain Brass Gross (144pair) | .19781 |
| #4 1/2" Nickel Gross (144pair) | .19782 |

Grommets Shown
Actual Size

Self-Piercing Grommets

SELF-PIERCING GROMMETS includes Grommet & Washer.

LONG BARREL GROMMET – Designed for grommeting 1/4" thick material (i.e. Masonite, Lusterboard, Sintra, etc.). Must pre-drill hole in solid substrates. Use 7/16 drill size for best results.

| Description | PSS ID# | Description | PSS ID# |
|--|---------|--|---------|
| #0 1/4" Plain Brass (500 pair) | .19783 | #3 7/16" Plain Brass (100 pair) | .19787 |
| #1 9/32" Plain Brass (500 pair) | .19784 | #4 5/8" Plain Brass (100 pair) | .19788 |
| #2 3/8" Plain Brass (500 pair) | .19785 | #2 3/8" Long Barrel Plain Brass (100 pair) | .19789 |
| #2 3/8" Nickel Plated Brass (500 pair) | .19786 | #2 3/8" Long Barrel Plain Brass (500 pair) | .19790 |

* NOTE: Grommet sizes 0,1,3 & 4 (and the Specific die for each size) require 5 days lead-time.

BANNER ACCESSORIES

(Continued)

Snap Hooks & Suction Cups

SNAP HOOKS – Spring-loaded, interlocking hooks for connecting banners to cable.

SUCTION CUP HOOKS – Great for hanging banners in windows, on glass or other non-porous surfaces. Adams light-diffusing cups have no dangerous focal point to focus on and damage interiors. The easy-release tab permits easy removal with no damage to the cup or mounting surface. Plated metal hook.

| Description | Size | PSS ID# |
|-------------------------|--------|---------|
| Snap Hook Spring Loaded | 3/16" | .19770 |
| Snap Hook Spring Loaded | 1/4" | .19771 |
| Snap Hook Spring Loaded | 5/16" | .19772 |
| Suction Cup Med | 1-3/4" | .19773 |



Snap Hook



Suction Cup Hook

ALWAYS TEST BEFORE PRODUCTION!

Refer to the manufacture's Media Selector Guide, Product Data Bulletins and Instructional Bulletins for specific technical details, application information and printer compatibility.

FOAM BOARDS

GATOR PRODUCTS

GATORFOAM

GATORFORM is a lightweight, polystyrene foam core, bonded on both sides with dent-resistant Luxcell® facings. The tough, smooth surface and rigid core makes it perfect for laminating, routing and painting. The Gatorfoam facing takes latex, oil-base and acrylic paints equally well. **CAUTION:** The polystyrene foam core will accept water-base paints and adhesives. Solvent-based paints and adhesives will melt the foam.

White Gatorfoam has white facing and a white foam core. Black has black facings and a black foam core. Natural Gatorfoam has a natural, kraft-color facings and a white foam core.

| Description | Size | PSS ID# |
|-------------------|--------------|---------|
| Gatorfoam White | 3/16"x4'x8' | .330 |
| Gatorfoam White | 1/2"x4'x8' | .331 |
| Gatorfoam White | 3/4"x4'x8' | .332 |
| Gatorfoam White | 1"x 4'x8' | .333 |
| Gatorfoam White | 1-1/2"x4'x8' | .334 |
| Gatorfoam Black | 3/16"x 4'x8' | .335 |
| Gatorfoam Black | 1/2"x4'x8' | .336 |
| Gatorfoam Natural | 3/16"x4'x8' | .337 |

GATORBLANKS

GATORBLANKS are rigid, extruded polystyrene foam panels with a "silk-like" smooth, white surface. **CAUTION:** The polystyrene foam panels will accept water-base paints and adhesives. Solvent-based paints and adhesives will melt the foam.

| Description | Size | PSS ID# |
|------------------|--------------|---------|
| Gatorblank White | 1" x 4' x 8' | .338 |
| Gatorblank White | 2" x 4' x 8' | .339 |

GATORPLAST

GATORPLAST is similar to Gatorfoam only bonded on both sides with white, styrene plastic facings.

| Description | Size | PSS ID# |
|------------------|-----------------|---------|
| Gatorplast Black | 3/16" x 4' x 8' | .27297 |
| Gatorplast White | 1/2" x 4' x 8' | .341 |
| Gatorplast White | 3/16" x 4' x 8' | .340 |
| Gatorplast White | 3/4"x 4' x 8' | .342 |

FOME-COR

FOAM-COR is a lightweight, polystyrene foam core bonded between high-quality paper.

| Description | Size | PSS ID# |
|----------------|---------------|---------|
| Fome-Cor White | 3/16"x32"x40" | .326 |
| Fome-Cor White | 3/16"x4'x8' | .327 |
| Fome-Cor White | 1/2"x4'x8' | .328 |
| Fome-Cor Black | 3/16"x4'x8' | .329 |